



FIRE INSPIRED[™]

OUTDOOR LIVING PRODUCT CATALOG

Install Confidence[™]



GREETINGS!

Welcome to our newest edition of the HPC Fire Inspired product Catalog. Our goal is to make your experience as easy and seamless as possible, answering any questions you have before they are asked. We believe that customer service is not just a department, but rather it is the heart and soul of the entire company. Every team member plays an active role servicing and breathing life into the orders. HPC creates innovative and safe designs suited for our customers' lifestyles. Our designs are built to last: HPC Fire Inspired weaves quality, safety and technology into every appliance.

We stand by our designs, ensuring that they will last the test of time.

We are excited to highlight the following new programs to support our mutually beneficial growth aspirations:

1. Over 400 CSA certified appliances guaranteed for top performance
2. Lifetime Warranty on burners and pans
3. HPC Fire One app with AR and 3D models
4. Dealer Portal
5. SST Torpedo Burner yielding the biggest CSA Certified flame on the Market
6. HPC Hybrid Forno de Pizza Oven
7. Universal Gas Orifice
8. Stainless Steel Drum Smoker
9. Custom outdoor Kitchen Islands

On behalf of all the team at HPC, I would like to thank you all for your continued support. Cheers to a successful and prosperous year of making memorable moments!



All the Best!

Sean Steimle, Chief Executive Officer

CONTACT



2225 Lyons Road
Miamisburg, OH 45342
Phone: 877.433.7001
Fax: 877.433.0704

Email: orders@hpcfire.com

www.hpcfire.com

Printed January 2026

WHAT DOES MAP MEAN?

Throughout our product offerings, you will see the acronym MAP. This stands for Minimum Advertised Price, and it's a policy that HPC Fire Inspired™ applies to nearly all our products. Quite simply, this MAP Policy prevents any trade partner from advertising our products at prices below those specified by HPC Fire Inspired™.

MAP
APPLIES

TERMS AND CONDITIONS


Revision and Modifications of the Agreement

HPC Fire Inspired™ may, by its sole discretion, modify or revise the terms of use and policies at any time as it may deem necessary. By agreeing to the terms of use herein you are bound by any such modifications or changes. It should be noted that nothing specified on these terms of use shall be used to confer any third-party rights and benefits.

Intellectual Property Rights

It is assumed that by using HPC Fire Inspired™ you agree that all content such as photos, text, graphics are copyrights with the copyrights being owned exclusively by HPC Fire Inspired™. You are however allowed to print hard copies of the content for the sole purpose of placing an order.

For the updated Terms and Conditions please go to hpcfire.com/terms-and-conditions



WARRANTY POLICY

Components	Application	
Outdoor Fire Components	Residential	Commercial
Fire Pit Stainless Steel Burners	Lifetime	Lifetime
Outdoor Fireplace Burner & Pan	Lifetime	Lifetime
Electronic Components and Gas Valves	3 years	1 year
Pilot Assembly	2 years	1 year
Stainless Steel Components	5 year	1 year
Cold Rolled Steel Components	1 year	6 months
Flex Lines	5 years	1 year
Regulators	3 years	1 year
Outdoor Logs	3 years	3 years
Unfinished Fire Pit Enclosure	3 years	3 years
Copper Bowl Series (Normal Weathering Expected)	1 year	1 year
Aluminum Fire Pit Covers	3 years	3 years
Vinyl Fire Pit Covers	3 years	3 years
Aluminum Bowl	1 year	1 year
Sport Pit	1 year	1 year
Forno de Pizza Ovens	2 years	2 years
Evolution360™ & H2Onfire Series		
Polyethylene Basin and Liner	3 years	3 year
Water Pump	2 years	1 year
Float and Sensor	2 years	1 year
Hose and Fittings	2 years	2 years
Electronics and LEDs	2 years	1 year

⚠WARNING: California PROP 65: This product can expose you to lead and chromium, elements which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

TABLE OF CONTENTS

Greetings	. 2
.Table of Contents	. 3
.New Products	. 4
.Dealer Incentive	. 5
.Weatherproofing	. 6
.Training and Education	. 7
Custom Fire Features	. 8

CERTIFIED FIRE PIT INSERTS10

Round Bowl Inserts	.10
.Round Flat Inserts	.14
.Square Bowl Inserts	.18
.Square Flat Inserts	.22
.H-Burner Inserts	.26
.Linear Trough Inserts	.30
.Interlink Inserts	.34
Outdoor FireplaceInserts	.38

COMPLETE FIRE FEATURES40

Aluminum Bowls	.40
.Copper Bowls	.42
.Evolution360 & H2Onfire	.46
.TK Torch	.48
.Sport Pit	.50
..Uncertified Match Lit Kits	.52
Copper Sierra	.50
Copper Phoenix	.51
Evolution 360	.52
H2Onfire	.53

FIRE PIT KITS & DIY UNITS52

Uncertified Match Lit Kits	.52
.Ready-To-Finish Kits	.54
OtherKits	.58

FIRE PIT ACCESSORIES60

Fire Pit Media	.60
.Wind Guards	.62
Fire PitCovers	.64

COMPONENTS66

OUTDOOR LIVING & DINING76

Custom Kitchen Islands	
Forno de Pizza	
Drum Smoker	



NEW PRODUCTS

Our new Universal Gas Orifice will change the way you do gas forever. Bridging the efficiency gap between natural gas and liquid propane orifice changes, the UGO is among the most exciting examples of HPC's innovative spirit. With it, we were able to cut the time it takes to switch gas types on a fire pit insert from 12 minutes to 19 seconds.

The UGO's value doesn't stop at orifice swap times. It prevents stocking problems before they occur and offers pivotal time savings in the office and in the field. All fire pit inserts will ship equipped with UGO in 2024. Look for the "Equipped with UGO" sticker in the catalog or on your product box!



Stainless Steel Drum Smoker

We are excited to introduce our newest addition to HPC's Outdoor Dining product line: the Drum Smoker! Featuring patented Vortex technology, this tall smoker allows for incredible cooking in large quantities. It utilizes a dual-vane intake system that distributes air throughout the hull of the cooker and exhausts out the top. Its height allows the user to prepare two different meals on separate racks.

Check out the drum smoker in action online: hpcfire.com/drum-smoker



Custom Outdoor Kitchen Islands

In 2023, HPC FireInspired acquired Galaxy Outdoor, a Las Vegas, NV-based outdoor kitchen island manufacturer. Now, we are proud to offer an expanded line of outdoor living features with which to enhance your lifestyle and outdoor living space. We are able to create any island to specification and offer consultation / design services. Let our team of experts guide you through the process!

With our new West Coast presence, HPC can offer consumers faster shipping! We are excited to offer approximately 1 day transit shipments to AZ, CA, CO, NV, and UT, and 2 day transit to the remaining states in the West Coast territory. Contact your HPC Sales Specialist for more info!



DEALER INCENTIVE PROGRAM

YEAR-LONG PRICING STRUCTURE

When your yearly sales orders meet one of four incentive levels your price structure is locked in for a full calendar year. For more information go to hpcfire.com/dealer.

ONLINE ORDER FULFILLMENT:

HPC offers a searchable online ordering site through the HPC Dealer Portal Store hpcfire.com or at HPCfire.com.



SST TORPEDO™ BURNERS

The commercial-grade SST Torpedo™ burner, available in Penta, Linear and H configurations, is our newly designed nozzle which creates the largest flame on the market. The SST Torpedo Burners yield an enhanced bonfire like aesthetic. This is a great addition to our product offerings, providing customers with an array of flame options.

STANDARD BURNER (WITHOUT NOZZLES)



SST TORPEDO BURNER (WITH NOZZLES)



**THE SST TORPEDO™ IS THE LARGEST
CSA CERTIFIED FLAME ON THE MARKET.**

INDUSTRY-LEADING WEATHERPROOFING

Gasfire features face many environmental challenges when placed outdoors, rain and snow not least among them. HPC designs its products to ensure our firepits function effectively and safely in the field amidst any weather conditions. For example:

- All of our burners effectively prevent rainwater buildup. Their raised, central hubs paired with strategically placed weep holes, allow any excess water to escape.
- HPC's Electronic Ignition models all include a "drip leg" that diverts any water away from the electronics.
- In the face of wind, HPC's Electronic Ignition and Push Button/Flame Sensing models are all equipped with a thermocouple sensor that will shut off the gas supply if the flame is extinguished. In addition, HPC's metal "blow-out-box" acts as an added layer of protection, shielding the pilot flame from the elements.
- Dielectric grease is applied to electrical connections to keep water away from spade connectors.
- HPC offers wind guards to help prevent the wind from blowing out your flame.

- To enhance the longevity of HPC designs, we offer a variety of covers to be utilized when appliances are not in use.
- We utilize outdoor-approved Solenoid valves to prevent moisture infiltration.



⚠ WARNING: California PROP 65: This product can expose you to lead and chromium, elements which are known to the State of California to cause cancer, birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov

TRAINING & EDUCATION

We believe that knowledge is power .Thequalityofeducationthatweprovideyouabout our products directly affects your business as well as our own . That'swhywe'vechosentoprioritizeourtrainingand education programs: so that you can be equipped to give top-notchservicetoyourcustomers .Since2022,wehave been working hard to provide opportunities to expand your HPC product knowledge .ReadhereaboutHPCUniversity, our Innovation and Education Center, and how you can get involved with both!

HPC University

Ourteamhasbeen working hard to build HPC University, a web platform that facilitates a quality education through study materials and quizzes . We've used it internally to educate our employees, and now it's available to our customers .

Right now, there are 14 course available with videos, powerpoints, notes, and quizzes . Once you've gotten a grasp on the material, you can take the quiz and earn certification for that course.

We are always looking to add more content that would be useful to our customers . If you have a topic of interest, please contact us and let us know! Or, if there's something you want to learn about more in-depth personally, you can train with our Training and education Manager, Chuck parsons.

Innovation and Education Center

Inearly 2023,weopenedourInnovation and Education Center, a secondary building designated to improving our products, processes, and our customer's education . The front-of-house includes a showroom and training area where our Training and Education Manager, Chuck Parsons, holds in-person, personalized classes for any dealers / distributors interested.

Training sessions are entirely free-- you need only cover the cost of travel . We are happy to assist in making accommodations for your stay . These classes are the perfect chance to get one on one time with the most skilled technicians at HPC and ask the questions that you have about our products .

If you're interested in training with us, you can contact us at information@hpcfire.com or go online to hpcfire.com/training-booking-calendar and schedule an appointment today. We will contact you with verification or rescheduling if needed!

Looking for more?

Sometimes you need an answer on the fly. If you're in the field and need assistance troubleshooting, call our office at (937) 436-9800 M-F, 8am to 5pm EST and ask for tech support .

You can read about our products online at hpcfire.com/blog where we post weekly Tech Talks, discussing everything from sales to styling to the manufacturing process .

Furthermore, you can find some of our most-asked tech support questions on our YouTube channel at youtube.com/hpcfire .

Please feel free to forward all other inquiries or comments onto information@hpcfire.com.



Chuck Parsons, Training and Education Manager



CUSTOM FIRE PITS

HPC is proud to offer custom fire pits, made to perfectly complement your environment. Whether you're looking for an atypical size of a stock fire pit, or something more complex like an outline of your home state, a sports team logo, etc, we would love to work with you. Collaborate with our team of experts to help bring your unique vision to life.

Getting Started

Outlining the details of your project is the first step to creating a one-of-a-kind fire feature. Consider the following:

- Installation location
- Application
- Enclosure type
- Ventilation and drainage
- Gas type
- Pan style and shape
- Burner style and shape
- Size

Having this essential information at the beginning will help our experts create the fire design of your dreams. With safety and innovation in mind, we will work with you to create something revolutionary.

CSA Certification

For engineered-to-order designs to be CSA certified, they must not exceed a certain range of BTUs:

Match Lit: 65k BTUs
Push Button: 250k BTUs
EI: 400k BTUs

Anything above these BTU ranges can be built, but will not be CSA certified, as they are classified as high pressure units.

Most Popular Designs

Our most popular custom designs include linear and rectangular fire pits, arched pans, and fire pits that include right angles. They are used to enhance pools, outdoor bars and kitchens, and more. You can find HPC custom designs all over America-- see our custom fire features at Commercial Park and Citizen's Bank Park in Philadelphia!



CUSTOM CONFIGURATION

Online, you can find a revamped version of our custom order form– it will visually guide you through the ordering process for less complex projects or permits file uploads for more complex custom jobs involving schematics or blueprints . Each submission will be reviewed by our tech department, designed, and quoted .

Configurator

We are excited to announce that we have a custom configurator in progress. When completed, this configurator will allow its user to build and review a custom project in 3D in realtime using simple data entry fields. Watch out for an email noting its release!

hpcfire.com/custom



ROUND BOWL

Our CSA-certified fire pit inserts are made of durable stainless steel and designed to be the most efficient, safe, and impressive flame on the market.

Installation Considerations

- Minimum of 2" clearance between bottom of insert and ground is required
- 48" clearance to combustibles
- Minimum two sides ventilated
- Minimum 50% free air space within enclosure
- 24VAC models require HPC/SEBCO 24VAC, 100W power supply for inserts ONLY



BENEFITS

- Bowl design includes 1.3" lip to rest over paving stones / enclosure. Depth to pan allows for better media retention
- Fully assembled, commercial grade, CSA-certified fire pit insert

FEATURES

- Raised hub for water mitigation
- Welded gas fitting for strength
- Weep holes for drainage
- Lifetime warranty on burners

SPECIFICATIONS

- Made of #304, 18 gauge stainless steel
- Standard flex line is 36" (when applicable)
- * EI On/Off remote control sold separately

HI/LO Series (Smart App Controlled) - Electronic Ignition

Insert Size***	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU-TORPEDO BURNER	BTU	Rock 1	Glass
ø 13" x 10-1/4"	Round 12"	13SSEI-HI/LO-NG/120VAC	90k	TOR-PENTA19EI-HI/LO-NG/120VAC	90k	bag 2	20lbs
ø 19" x 10-1/4"	18"	PENTA19EI-HI/LO-NG/120VAC	65k	TOR-PENTA25EI-HI/LO-NG/120VAC	140k	bags 2	40lbs
ø 25" x 12-1/4"	24"	PENTA25EI-HI/LO-NG/120VAC	125k	TOR-PENTA31EI-HI/LO-NG/120VAC	225k	bags 2	60lbs
ø 31" x 12-1/4"	30"	PENTA31EI-HI/LO-NG/120VAC	200k	TOR-PENTA37EI-HI/LO-NG/120VAC	275k	bags 4	80lbs
ø 37" x 13-1/4"	36"	PENTA37EI-HI/LO-NG/120VAC	250k	TOR-PENTA43EI-HI/LO-NG/120VAC	375k	bags 4	120lbs
ø 43" x 14-1/4"		PENTA43EI-HI/LO-NG/120VAC	400k			bags	160lbs

ON/OFF Series - Electronic Ignition

Insert Size***	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU - TORPEDO BURNER	BTU	Rock 1	Glass
ø 13" x 10-1/4"	12" Round	13SSEI-NG/120VAC	90k	TOR-PENTA19EI-NG/120VAC	90k	bag 2	20lbs
ø 19" x 10-1/4"	12"	PENTA19EI-NG/120VAC	65k	TOR-PENTA25EI-NG/120VAC	140k	bags 2	40lbs
ø 25" x 12-1/4"	18"	PENTA25EI-NG/120VAC	125k	TOR-PENTA31EI-NG/120VAC	225k	bags 2	60lbs
ø 31" x 12-1/4"	24"	PENTA31EI-NG/120VAC	200k	TOR-PENTA37EI-NG/120VAC	275k	bags 4	80lbs
ø 37" x 13-1/4"	30"	PENTA37EI-NG/120VAC	250k	TOR-PENTA43EI-NG/120VAC	375k	bags 4	120lbs
ø 43" x 14-1/4"	36"	PENTA43EI-NG/120VAC	400k			bags	160lbs

FPPK Series - Push-Button Ignition

Insert Size*	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU - TORPEDO BURNER	BTU	Rock 1	Glass
13" x 6-1/2" ø	12" Round	FPPK13-FLEX-NG	90k	TOR-PENTA19FPPK-FLEX-NG	65k	bag 2	20lbs
19" x 6-1/2" ø	12"	PENTA19FPPK-FLEX-NG	65k	TOR-PENTA25FPPK-FLEX-NG	90k	bags 2	40lbs
25" x 6-1/2" ø	18"	PENTA25FPPK-FLEX-NG	90k	TOR-PENTA31FPPK-FLEX-NG	200k	bags 2	60lbs
31" x 6-1/2" ø	24"	PENTA31FPPK-FLEX-NG	200k	TOR-PENTA37FPPK-FLEX-NG	250k	bags 4	80lbs
37" x 6-1/2"	30"	PENTA37FPPK-FLEX-NG	250k			bags	120lb

FPPK Series - Push-Button Ignition - Small Tank

Insert Size*	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU - TORPEDO BURNER	BTU	Rock 1	Glass
13" x 6-1/2" ø	12" Round	FPPK13-FLEX-LP-ST	90k	TOR-PENTA19FPPK-FLEX-LP-ST	65k	bag 2	20lbs
19" x 6-1/2" ø	12"	PENTA19FPPK-FLEX-LP-ST	65k	TOR-PENTA25FPPK-FLEX-LP-ST	90k	bags 2	40lbs
25" x 6-1/2"	18"	PENTA25FPPK-FLEX-LP-ST	90k			bags	60lbs

MLFPK Series - Match-Lit Ignition

Insert Size*	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU - TORPEDO BURNER	BTU	Rock 1	Glass
13" x 6-1/2" ø	12"	PENTA13 MLFPK-FLEX-NG	65k	PENTA13 MLFPK-FLEX-NG TOR-	65k	bag 2	20lbs
19" x 6-1/2" ø	12"	PENTA19 MLFPK-FLEX-NG	65k	PENTA19 MLFPK-FLEX-NG TOR-	65k	bags 2	40lbs
25" x 6-1/2" ø	18"	PENTA25 MLFPK-FLEX-NG	65k	PENTA25 MLFPK-FLEX-NG TOR-	65k	bags 2	60lbs
31" x 6-1/2"	28"	PENTA31 MLFPK-FLEX-NG	65k	PENTA31 MLFPK-FLEX-NG	65k	bags	80lbs

MLFPK Series - Match-Lit Ignition - Small Tank

Insert Size*	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU - TORPEDO BURNER	BTU	Rock	Glass
ø 13" x 6-1/2"	12"	PENTA13 MLFPK-FLEX-LP-ST	65k	TOR-PENTA13 MLFPK-FLEX-LP-ST	65k	bag 20lbs	
ø 19" x 6-1/2"	18"	PENTA19 MLFPK-FLEX-LP-ST	65k	TOR-PENTA19 MLFPK-FLEX-LP-ST	65k	bags 40lbs	
ø 25" x 6-1/2"	18"	PENTA25 MLFPK-FLEX-LP-ST	65k	TOR-PENTA25 MLFPK-FLEX-LP-ST	65k	bags 60lbs	
ø 31" x 6-1/2"	28"	PENTA31 MLFPK-FLEX-LP-ST	65k	TOR-PENTA31 MLFPK-FLEX-LP-ST	65k	bags 80lbs	

*Insert Size: Insert height includes 2-1/2" pan depth. **El Models: Listed height is for standard burner models only. All Torpedo El fire pits are 9-1/2" tall including pan.



El HI/LO Smart App Controlled



El ON/OFF



Push Button Ignition



Match Lit Ignition






ELECTRONIC IGNITION



These fire pits are available as ON/OFF or HI/LO. The former is a simple remote-activated on or off switch, whereas the HI/LO can be controlled via Bluetooth and allows for adjustable flame height. Can also be set on install with trimmer valve.

PUSH BUTTON IGNITION



Push button fire pits are controlled using a simple knob and button on a stainless steel valve box and features a flame-sensing system to turn off gas if flame is lost.

MATCH LIT IGNITION



Match lit fire pits are ignited simply by turning the key valve and lighting the gas with a lighter.


ROUND BOWL (cont.)

Electronic Ignition - Specifications

PENTA BURNER							
PART NUMBER*		BTU		DIMENSION CHART			
		PENTA	TORPEDO	A"	B"	C" (+/- 1/2")	
						PENTA	TORPEDO
TOR-	PENTA19EI	65K	90k	19	12	7-3/4	7-3/4
TOR-	PENTA25EI	125K	140k	25	18	9-3/4	7-3/4
TOR-	PENTA31EI	200K	225k	31	24	9-3/4	7-3/4
TOR-	PENTA37EI	250K	275k	37	30	10-3/4	7-3/4
TOR-	PENTA43EI	400K	375K	43	36	11-3/4	7-3/4

*FOR TORPEDO BURNERS ADD TOR-

ROUND BURNER				
PART NUMBER	STANDARD BTU	DIMENSION CHART		
		A"	B"	C" (+/- 1/2")
13SSEI	90K	13	12	7-3/4




Push Button Ignition - Specifications

PART NUMBERS		DIMENSION CHART				
		PAN	STANDARD BTU		A"	STND FLEX LINE LENGTH
PENTA BURNER			PENTA	TORPEDO		
TOR-	PENTA19-FPPK-FLEX	19"	65K	90K	45"	36"
TOR-	PENTA25-FPPK-FLEX	25"	125K	140K	54"	36"
TOR-	PENTA31-FPPK-FLEX	31"	200K	185K	54"	36"
TOR-	PENTA37-FPPK-FLEX	37"	250K	185K	54"	36"
TOR-	PENTA43-FPPK-FLEX	43"	300K	-	60"	36"

PART NUMBER		DIMENSION CHART				
		PAN	STANDARD BTU		A"	STND FLEX LINE LENGTH
ROUND BURNER						
FPPK13-FLEX		13"	90K		45"	36"


*FOR TORPEDO BURNERS ADD TOR-



Match Lit Ignition - Specifications

PART NUMBER		DIMENSION CHART				
		PAN	STANDARD BTU		A"	STND FLEX LINE LENGTH
PENTA BURNER			PENTA	TORPEDO		
TOR-	PENTA13MLFPK-FLEX	13"	65K	65K	45"	36"
TOR-	PENTA19MLFPK-FLEX	19"	65K	65K	45"	36"
TOR-	PENTA25MLFPK-FLEX	25"	65K	65K	54"	36"
TOR-	PENTA31MLFPK- FLEX	31"	65K	65K	54"	36"

*FOR TORPEDO BURNERS ADD TOR-



ROUND FLAT

Our CSA-certified fire pit inserts are made of durable stainless steel and designed to be the most efficient, safe, and impressive flame on the market.

Installation Considerations

- Minimum of 2" clearance between bottom of insert and ground is required
- 48" clearance to combustibles
- Minimum two sides ventilated
- Minimum 50% free air space within enclosure
- 24VAC models require HPC/SEBCO 24VAC, 100W power supply for inserts ONLY



BENEFITS

- Economical, flat design. Meant for a recess mount within an enclosure
- Fully assembled, commercial grade, CSA-certified fire pit insert

FEATURES

- Raised hub for water mitigation
- Welded gas fitting for strength
- Weep holes for drainage
- Lifetime warranty on burners

SPECIFICATIONS

- Made of #304, 18 gauge stainless steel
- Standard flex line is 36" (when applicable)
- * EI On/Off remote control sold separately

HI/LO Series (Smart App Controlled) - Electronic Ignition

Insert Size** Ø	Burner Sz.	SKU - STANDARD BURNER	BTU	
14" x 7-3/4" Ø	12" Round	14FSSEI-HI/LO-NG/120VAC	90k	
18" x 7-3/4"	12"	PENTA18EI-HI/LO-NG/120VAC	65k	
Ø 24" x 9-3/4" Ø	18"	PENTA24EI-HI/LO-NG/120VAC	125k	
30" x 9-3/4" Ø	24"	PENTA30EI-HI/LO-NG/120VAC	200k	
36" x 10-3/4" Ø	30"	PENTA36EI-HI/LO-NG/120VAC	250k	
42" x 11-3/4"	36"	PENTA42EI-HI/LO-NG/120VAC	400k	

SKU - TORPEDO BURNER	BTU	
TOR-PENTA18EI-HI/LO-NG/120VAC	90k	
TOR-PENTA24EI-HI/LO-NG/120VAC	140k	
TOR-PENTA30EI-HI/LO-NG/120VAC	225k	
TOR-PENTA36EI-HI/LO-NG/120VAC	275k	
TOR-PENTA42EI-HI/LO-NG/120VAC	375k	

Rock	1	Glass
bag	2	20lbs
bags	2	30lbs
bags	2	50lbs
bags	4	80lbs
bags	4	110lb
bags		s

150lb

ON/OFF Series - Electronic Ignition

Insert Size** Ø	Burner Sz.	SKU - STANDARD BURNER	BTU	
14" x 7-3/4" Ø	12" Round	14FSSEI-NG/120VAC	90k	
18" x 7-3/4"	12"	PENTA18EI-NG/120VAC	65k	
Ø 24" x 9-3/4" Ø	18"	PENTA24EI-NG/120VAC	125k	
30" x 9-3/4" Ø	24"	PENTA30EI-NG/120VAC	200k	
36" x 10-3/4" Ø	30"	PENTA36EI-NG/120VAC	250k	
42" x 11-3/4" Ø	36"	PENTA42EI-NG/120VAC	400k	
54" x 11-3/4"	48"	PENTA54EI-NG/120VAC	400k	

SKU - TORPEDO BURNER	BTU	
TOR-PENTA18EI-NG/120VAC	90k	
TOR-PENTA24EI-NG/120VAC	140k	
TOR-PENTA30EI-NG/120VAC	225k	
TOR-PENTA36EI-NG/120VAC	275k	
TOR-PENTA42EI-NG/120VAC	375k	
TOR-PENTA54EI-NG/120VAC	400k	

Rock	1	Glass
bag	2	20lbs
bags	2	30lbs
bags	2	50lbs
bags	4	80lbs
bags	4	110lbs
bags	6	150lbs
bags		250lbs

FPPK Series - Push-Button Ignition

Insert Size	Burner Sz.	SKU - STANDARD BURNER	BTU	
Ø 14" x 4-1/2" Ø	12" Round	FPPK14-FLEX-NG	90k	
18" x 4-1/2" Ø	12"	PENTA18FPPK-FLEX-NG	65k	
24" x 4-1/2" Ø	18"	PENTA24FPPK-FLEX-NG	90k	
30" x 4-1/2" Ø	24"	PENTA30FPPK-FLEX-NG	200k	
36" x 4-1/2"	30"	PENTA36FPPK-FLEX-NG	250k	

SKU - TORPEDO BURNER	BTU	
TOR-PENTA18FPPK-FLEX-NG	65k	
TOR-PENTA24FPPK-FLEX-NG	90k	
TOR-PENTA30FPPK-FLEX-NG	140k	
TOR-PENTA36FPPK-FLEX-NG	140k	

Rock	1	Glass
bag	2	20lbs
bags	2	30lbs
bags	2	50lbs
bags	4	80lbs
bags		110lbs

FPPK Series - Push-Button Ignition - Small Tank

Insert Size	Burner Sz.	SKU - STANDARD BURNER	BTU	
Ø 14" x 4-1/2" Ø	12" Round	FPPK14-FLEX-LP-ST	90k	
18" x 4-1/2" Ø 24"	12"	PENTA18FPPK-FLEX-LP-ST	65k	
x 4-1/2"	18"	PENTA24FPPK-FLEX-LP-ST	90k	

SKU - TORPEDO BURNER	BTU	
- TOR-PENTA18FPPK-FLEX-	-	
LP-ST TOR-PENTA24FPPK-	65k	
FLEX-LP-ST	90k	

Rock	1	Glass
bag	2	20lbs
bags	2	30lbs
bags		50lbs

MLFPPK Series - Match-Lit Ignition

Insert Size	Burner Sz.	SKU - STANDARD BURNER	BTU	
Ø 8" x 4-1/2" Ø	6" Round	MLFPPK8-FLEX-NG	40k	
14" x 4-1/2" Ø	12"	PENTA14 MLFPPK-FLEX-NG	65k	
18" x 4-1/2" Ø	12"	PENTA18 MLFPPK-FLEX-NG	65k	
24" x 4-1/2" Ø	18"	PENTA24 MLFPPK-FLEX-NG	65k	
30" x 4-1/2"	18"	PENTA30 MLFPPK-FLEX-NG	65k	

SKU - TORPEDO BURNER	BTU	
-	-	
TOR-PENTA14 MLFPPK-FLEX-NG	65k	
TOR-PENTA18 MLFPPK-FLEX-NG	65k	
TOR-PENTA24 MLFPPK-FLEX-NG	65k	
TOR-PENTA30 MLFPPK-FLEX-NG	65k	

Rock	1	Glass
bag	1	10lbs
bag	2	20lbs
bags	2	30lbs
bags	2	50lbs
bags		80lbs

MLFPPK Series - Match-Lit Ignition - Small Tank

Insert Size	BurnerSz.	SKU-STANDARD BURNER	BTU	
Ø 8" x 4-1/2" Ø	6" Round	MLFPPK8-FLEX-LP-ST PENTA14	40k	
14" x 4-1/2" Ø	12"	MLFPPK-FLEX-LP-ST PENTA18	65k	
18" x 4-1/2" Ø	12"	MLFPPK-FLEX-LP-ST PENTA24	65k	
24" x 4-1/2" Ø	18"	MLFPPK-FLEX-LP-ST PENTA30	65k	
30" x 4-1/2"	18"	MLFPPK-FLEX-LP-ST	65k	

SKU - TORPEDO BURNER	BTU	
-	-	
TOR-PENTA14 MLFPPK-FLEX-LP-ST	65k	
TOR-PENTA18 MLFPPK-FLEX-LP-ST	65k	
TOR-PENTA24 MLFPPK-FLEX-LP-ST	65k	
TOR-PENTA30 MLFPPK-FLEX-LP-ST	65k	

Rock	1	Glass
bag	1	10lbs
bag	2	20lbs
bags	2	30lbs
bags	2	50lbs
bags		80lbs

**EI Models: Listed height is for standard burner models only. All Torpedo EI fire pits are 7-3/4" for flat pans.



EI HI/LO Smart App Controlled



EI ON/OFF



Push Button Ignition



Match Lit Ignition






ELECTRONIC IGNITION




These fire pits are available as ON/OFF or HI/LO. The former is a simple remote-activated on or off switch, whereas the HI/LO can be controlled via Bluetooth and allows for adjustable flame height. Can also be set on install with trimmer valve.

PUSH BUTTON IGNITION



Push button fire pits are controlled using a simple knob and button on a stainless steel valve box and features a flame-sensing system to turn off gas if flame is lost.

MATCH LIT IGNITION



Match lit fire pits are ignited simply by turning the key valve and lighting the gas with a lighter.


ROUND FLAT (cont.)

Electronic Ignition - Specifications

PENTA BURNER							
PART NUMBER*		BTU		DIMENSION CHART			
		PENTA	TORPEDO	A"	B"	C" (+/- 1/2")	
						PENTA	TORPEDO
TOR-	PENTA18EI	65K	90k	18	12	7-3/4	7-3/4
TOR-	PENTA24EI	125K	140k	24	18	9-3/4	7-3/4
TOR-	PENTA30EI	200K	225k	30	24	9-3/4	7-3/4
TOR-	PENTA36EI	250K	275k	36	30	10-3/4	7-3/4
TOR-	PENTA42EI	400K	375K	42	36	11-3/4	7-3/4
TOR-	PENTA54EI	400K	400K	54	48	11-3/4	7-3/4


*FOR TORPEDO BURNERS ADD TOR-

ROUND BURNER				
PART NUMBER	BTU	DIMENSION CHART		
		A"	B"	C" (+/- 1/2")
14SSEI	90K	14	12	7-3/4



Push Button Ignition - Specifications


PART NUMBERS		DIMENSION CHART				
		PAN	STANDARD BTU		A"	STND FLEX LINE LENGTH
PENTA			TORPEDO			
TOR-	PENTA18-FPPK-FLEX	17.75"	65K	90K	45"	36"
TOR-	PENTA24-FPPK-FLEX	23.75"	125K	140K	54"	36"
TOR-	PENTA30-FPPK-FLEX	29.75"	200K	185K	54"	36"
TOR-	PENTA36-FPPK-FLEX	35.75"	250K	185K	54"	36"
TOR-	PENTA42-FPPK-FLEX	41.75"	300K	-	54"	36"
PART NUMBERS		DIMENSION CHART				
		PAN	STANDARD BTU		A"	STND FLEX LINE LENGTH
ROUND BURNER						
FPPK14-FLEX		13.75"	90K		45"	36"



Match Lit Ignition - Specifications

PART NUMBER		DIMENSION CHART				
		PAN	STANDARD BTU		A"	STND FLEX LINE LENGTH
PENTA	TORPEDO					
TOR-	PENTA14MLFPK-FLEX	13.75"	65K	65K	45"	36"
TOR-	PENTA18MLFPK-FLEX	17.75"	65K	65K	45"	36"
TOR-	PENTA24MLFPK-FLEX	23.75"	65K	65K	54"	36"
TOR-	PENTA30MLFPK-FLEX	29.75"	65K	65K	54"	36"
PART NUMBER		DIMENSION CHART				
		PAN	STANDARD BTU		A"	STND FLEX LINE LENGTH
MLFPK8-FLEX		7.75"	40K		-	36"

*FOR TORPEDO BURNERS ADD TOR-




SQUARE BOWL

Our CSA-certified fire pit inserts are made of durable stainless steel and designed to be the most efficient, safe, and impressive flame on the market.

Installation Considerations

- Minimum of 2" clearance between bottom of insert and ground is required
- 48" clearance to combustibles
- Minimum two sides ventilated
- Minimum 50% free air space within enclosure
- 24VAC models require HPC/SEBCO 24VAC, 100W power supply for inserts ONLY



BENEFITS

- Bowl design includes 1.3" lip to rest over paving stones / enclosure. Depth to pan allows for better media retention
- Fully assembled, commercial grade, CSA-certified fire pit insert

FEATURES

- Raised hub for water mitigation
- Welded gas fitting for strength
- Weep holes for drainage
- Lifetime warranty on burners

SPECIFICATIONS

- Made of #304, 18 gauge stainless steel
- Standard flex line is 36" (when applicable)
- * EI On/Off remote control sold separately

HI/LO Series (Smart App Controlled) - Electronic Ignition

Insert Size***	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU-TORPEDO BURNER TOR-	BTU	Rock	Glass
18" x 18" x 10-1/4"	12"	18SSEI-SQBL-HI/LO-NG/120VAC	65k	18SSEI-SQBL-HI/LO-NG/120V	90k	bags 2	40lbs
24" x 24" x 12-1/4"	18"	24SSEI-SQBL-HI/LO-NG/120VAC	125k	TOR-24SSEI-SQBL-HI/LO-NG/120V	140k	bags 2	60lbs
30" x 30" x 12-1/4"	24"	30SSEI-SQBL-HI/LO-NG/120VAC	200k	TOR-30SSEI-SQBL-HI/LO-NG/120V	225k	bags 2	100lbs
36" x 36" x 13-1/4"	30"	36SSEI-SQBL-HI/LO-NG/120VAC	250k	TOR-36SSEI-SQBL-HI/LO-NG/120V	275k	bags	140lbs

ON/OFF Series - Electronic Ignition

Insert Size***	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU - TORPEDO BURNER TOR-	BTU	Rock	Glass
18" x 18" x 10-1/4"	12"	18SSEI-SQBL-NG/120VAC	65k	18SSEI-SQBL-NG/120VAC TOR-	90k	2 bags	40lbs
24" x 24" x 12-1/4"	18"	24SSEI-SQBL-NG/120VAC	125k	24SSEI-SQBL-NG/120VAC TOR-	140k	2 bags	60lbs
30" x 30" x 12-1/4"	24"	30SSEI-SQBL-NG/120VAC	200k	30SSEI-SQBL-NG/120VAC TOR-	225k	2 bags	100lbs
36" x 36" x 13-1/4"	30"	36SSEI-SQBL-NG/120VAC	250k	36SSEI-SQBL-NG/120VAC TOR-	275k	2 bags	140lbs
42" x 42" x 14-1/4"	36"	42SSEI-SQBL-NG/120VAC	400k	42SSEI-SQBL-NG/120VAC	375k	6 bags	190lbs

FPPK Series - Push-Button Ignition

Insert Size*	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU - TORPEDO BURNER TOR-	BTU	Rock	Glass
18" x 18" x 6-1/2"	12"	FPPK18-SQBL-FLEX-NG	65k	TOR-FPPK18-SQBL-FLEX-NG	90k	2 bags	40lbs
24" x 24" x 6-1/2"	18"	FPPK24-SQBL-FLEX-NG	125k	TOR-FPPK24-SQBL-FLEX-NG	140k	2 bags	60lbs
30" x 30" x 6-1/2"	24"	FPPK30-SQBL-FLEX-NG	200k	TOR-FPPK30-SQBL-FLEX-NG	225k	2 bags	100lb
36" x 36" x 6-1/2"	30"	FPPK36-SQBL-FLEX-NG	250k	TOR-FPPK36-SQBL-FLEX-NG	275k	2 bags	s

140lb

FPPK Series - Push-Button Ignition - Small Tank

Insert Size*	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU - TORPEDO BURNER TOR-	BTU	Rock	Glass
18" x 18" x 6-1/2"	12"	FPPK18-SQBL-FLEX-LP-ST	65k	FPPK18-SQBL-FLEX-LP-ST TOR-	65k	2 bags	40lbs
1/2" 24" x 24" x 6-1/2"	18"	FPPK24-SQBL-FLEX-LP-ST	90k	FPPK24-SQBL-FLEX-LP-ST	90k	2 bags	60lbs

MLFPK Series - Match-Lit Ignition

Insert Size*	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU - TORPEDO BURNER TOR-	BTU	Rock	Glass
18" x 18" x 6-1/2"	12"	MLFPK18SQBL-FLEX-NG	65k	TOR-MLFPK18SQBL-FLEX-NG	65k	2 bags	40lbs
1/2" 24" x 24" x 6-1/2"	18"	MLFPK24SQBL-FLEX-NG	65k	TOR-MLFPK24SQBL-FLEX-NG	65k	2 bags	60lbs
6-1/2" 30" x 30"	24"	MLFPK30SQBL-FLEX-NG	65k	TOR-MLFPK30SQBL-FLEX-NG	65k	2 bags	100lbs

MLFPK Series - Match-Lit Ignition - Small Tank

Insert Size*	BurnerSz.	SKU-STANDARD BURNER	BTU	SKU - TORPEDO BURNER TOR-	BTU	Rock	Glass
18" x 18" x 6-1/2"	12"	MLFPK18SQBL-FLEX-LP-ST	65k	MLFPK18SQBL-FLEX-LP-ST	65k	bags 2	40lbs
24" x 24" x 6-1/2"	18"	MLFPK24SQBL-FLEX-LP-ST	65k	TOR-MLFPK24SQBL-FLEX-LP-ST	65k	bags 2	60lbs
30" x 30" x 6-1/2"	24"	MLFPK30SQBL-FLEX-LP-ST	65k	TOR-MLFPK30SQBL-FLEX-LP-ST	65k	bags	100lb

*Insert Size: Insert height includes 2-1/2" pan depth.

**EI Models: Listed height is for standard burner models only. All Torpedo EI fire pits are 9-1/2" tall including pan.



EI HI/LO Smart App Controlled



EI ON/OFF



Push Button Ignition



Match Lit Ignition






ELECTRONIC IGNITION



These fire pits are available as ON/OFF or HI/LO. The former is a simple remote-activated on or off switch, whereas the HI/LO can be controlled via Bluetooth and allows for adjustable flame height. Can also be set on install with trimmer valve.

PUSH BUTTON IGNITION



Push button fire pits are controlled using a simple knob and button on a stainless steel valve box and features a flame-sensing system to turn off gas if flame is lost.

MATCH LIT IGNITION




Match lit fire pits are ignited simply by turning the key valve and lighting the gas with a lighter.

SQUARE BOWL (cont.)

PART NUMBER*		BTU		DIMENSION CHART			
		PENTA	TOR	A"	B"	C" (+/- 1/2")	
						PENTA	TOR
TOR-	18SSEI-SQBL	65K	90K	18	12	7-3/4	7-3/4
TOR-	24SSEI-SQBL	125K	140K	24	18	9-3/4	7-3/4
TOR-	30SSEI-SQBL	200K	225K	30	24	9-3/4	7-3/4
TOR-	36SSEI-SQBL	250K	275K	36	30	10-3/4	7-3/4
TOR-	42SSEI-SQBL	400K	375K	42	36	11-3/4	7-3/4


*FOR TORPEDO BURNERS ADD TOR-



Push Button Ignition - Specifications

PART NUMBERS		DIMENSION CHART			
		PAN	STANDARD BTU		STND FLEX LINE LENGTH
PENTA BURNER			PENTA	TORPEDO	
TOR-	PENTA18-FPPK-FLEX	17.75"	65K	90K	45"
TOR-	PENTA24-FPPK-FLEX	23.75"	125K	140K	54"
TOR-	PENTA30-FPPK-FLEX	29.75"	200K	185K	54"
TOR-	PENTA36-FPPK-FLEX	35.75"	250K	185K	54"
TOR-	PENTA42-FPPK-FLEX	41.75"	300K	-	54"

PART NUMBERS		DIMENSION CHART			
		PAN	STANDARD BTU		STND FLEX LINE LENGTH
ROUND BURNER					
	FPPK14-FLEX	13.75"	90K	-	36"




Match Lit Ignition - Specifications

PART NUMBER		DIMENSION CHART			
		PAN	STANDARD BTU		STND FLEX LINE LENGTH
PENTA BURNER			PENTA	TORPEDO	
TOR-	PENTA14MLFPK-FLEX	13.75"	65K	65K	45"
TOR-	PENTA18MLFPK-FLEX	17.75"	65K	65K	45"
TOR-	PENTA24MLFPK-FLEX	23.75"	65K	65K	54"
TOR-	PENTA30MLFPK-FLEX	29.75"	65K	65K	54"

PART NUMBER		DIMENSION CHART			
		PAN	STANDARD BTU		STND FLEX LINE LENGTH
ROUND BURNER					
	MLFPK8-FLEX	7.75"	40K	-	36"

*FOR TORPEDO BURNERS ADD TOR-



SQUARE FLAT

Our CSA-certified fire pit inserts are made of durable stainless steel and designed to be the most efficient, safe, and impressive flame on the market.

Installation Considerations

- Minimum of 2" clearance between bottom of insert and ground is required
- 48" clearance to combustibles
- Minimum two sides ventilated
- Minimum 50% free air space within enclosure
- 24VAC models require HPC/SEBCO 24VAC, 100W power supply for inserts ONLY



BENEFITS

- Economical, flat design. Meant for a recess mount within an enclosure
- Fully assembled, commercial grade, CSA-certified fire pit insert

FEATURES

- Raised hub for water mitigation
- Welded gas fitting for strength
- Weep holes for drainage
- Lifetime warranty on burners

SPECIFICATIONS

- Made of #304, 18 gauge stainless steel
- Standard flex line is 36" (when applicable)
- * EI On/Off remote control sold separately

HI/LO Series (Smart App Controlled) - Electronic Ignition

Insert Size**	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU-TORPEDO BURNER	TOR-BTU	Rock	Glass
18" x 18" x 10-1/4"	12"	18FSSEI-SQ-HI/LO-NG/120VAC	90k	18FSSEI-SQ-HI/LO-NG/120VAC TOR	90k	bags 2	40lbs
1/4" 24" x 24" x 18"	18"	24FSSEI-SQ-HI/LO-NG/120VAC	150k	24FSSEI-SQ-HI/LO-NG/120VAC TOR	140k	bags 2	60lbs
12-1/4" 30" x 30" x 24"	24"	30FSSEI-SQ-HI/LO-NG/120VAC	250k	30FSSEI-SQ-HI/LO-NG/120VAC TOR	225k	bags 2	100lb
x 12-1/4" 36" x 30"	30"	36FSSEI-SQ-HI/LO-NG/120VAC	300k	36FSSEI-SQ-HI/LO-NG/120VAC	275k	bags	s

140lb

ON/OFF Series - Electronic Ignition

Insert Size**	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU - TORPEDO BURNER	BTU	Rock	Glass
18" x 18" x 10-1/4"	12"	18FSSEI-SQ-NG/120VAC	90k	TOR-18FSSEI-SQ-NG/120VAC	90k	bags 2	40lbs
1/4" 24" x 24" x 18"	18"	24FSSEI-SQ-NG/120VAC	125k	TOR-24FSSEI-SQ-NG/120VAC	125k	bags 2	60lbs
12-1/4" 30" x 30" x 24"	24"	30FSSEI-SQ-NG/120VAC	200k	TOR-30FSSEI-SQ-NG/120VAC	200k	bags 2	100lbs
x 12-1/4" 36" x 30"	30"	36FSSEI-SQ-NG/120VAC	250k	TOR-36FSSEI-SQ-NG/120VAC	250k	bags 6	140lbs
36" x 13-1/4" 42" x 36"	36"	42FSSEI-SQ-NG/120VAC	400k	TOR-42FSSEI-SQ-NG/120VAC	400k	bags	190lbs

140lb

FPPK Series - Push-Button Ignition

Insert Size	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU - TORPEDO BURNER	BTU	Rock	Glass
18" x 18" x 4-1/2"	12"	FPPK18-SQ-FLEX-NG	90k	TOR-FPPK18-SQ-FLEX-NG	90k	bags 2	40lbs
1/2" 24" x 24" x 18"	18"	FPPK24-SQ-FLEX-NG	150k	TOR-FPPK24-SQ-FLEX-NG	140k	bags 2	60lbs
4-1/2" 30" x 30" x 24"	24"	FPPK30-SQ-FLEX-NG	250k	TOR-FPPK30-SQ-FLEX-NG	185k	bags 2	100lb
x 4-1/2" 36" x 30"	30"	FPPK36-SQ-FLEX-NG	250k	TOR-FPPK36-SQ-FLEX-NG	185k	bags	s

140lb

FPPK Series - Push-Button Ignition - Small Tank

Insert Size	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU - TORPEDO BURNER	BTU	Rock	Glass
18" x 18" x 4-1/2"	12"	FPPK18-SQ-FLEX-LP-ST	65k	TOR-FPPK18-SQ-FLEX-LP-ST	65k	bags 2	40lbs
1/2" 24" x 24" x 18"	18"	FPPK24-SQ-FLEX-LP-ST	90k	TOR-FPPK24-SQ-FLEX-LP-ST	90k	bags	60lbs

MLFPK Series - Match-Lit Ignition

Insert Size	Burner Sz.	SKU - STANDARD BURNER	BTU	SKU - TORPEDO BURNER	BTU	Rock	Glass
18" x 18" x 4-1/2"	12"	MLFPK18SQ-FLEX-NG	65k	TOR-MLFPK18SQ-FLEX-NG	65k	bags 2	40lbs
1/2" 24" x 24" x 18"	18"	MLFPK24SQ-FLEX-NG	65k	TOR-MLFPK24SQ-FLEX-NG	65k	bags 2	60lbs
4-1/2" 30" x 30" x 24"	24"	MLFPK30SQ-FLEX-NG	65k	TOR-MLFPK30SQ-FLEX-NG	65k	bags	100lb

s

MLFPK Series - Match-Lit Ignition - Small Tank

Insert Size	BurnerSz.	SKU-STANDARD BURNER	BTU	SKU - TORPEDO BURNER	BTU	Rock	Glass
18" x 18" x 4-1/2"	12"	MLFPK18SQ-FLEX-LP-ST	65k	TOR-MLFPK18SQ-FLEX-LP-	65k	bags 2	40lbs
1/2" 24" x 24" x 18"	18"	MLFPK24SQ-FLEX-LP-ST	65k	ST TOR-MLFPK24SQ-FLEX-	65k	bags 2	60lbs
4-1/2" 30" x 30" x 24"	24"	MLFPK30SQ-FLEX-LP-ST	65k	LP-ST TOR-MLFPK30SQ-	65k	bags	100lb

s

**El Models: Listed height is for standard burner models only. All Torpedo El fire pits are 7-3/4" for flat pans.



El HI/LO Smart App Controlled



El ON/OFF



Push Button Ignition



Match Lit Ignition






ELECTRONIC IGNITION




These fire pits are available as ON/OFF or HI/LO. The former is a simple remote-activated on or off switch, whereas the HI/LO can be controlled via Bluetooth and allows for adjustable flame height. Can also be set on install with trimmer valve.

PUSH BUTTON IGNITION



Push button fire pits are controlled using a simple knob and button on a stainless steel valve box and features a flame-sensing system to turn off gas if flame is lost.

MATCH LIT IGNITION





Match lit fire pits are ignited simply by turning the key valve and lighting the gas with a lighter.

SQUARE FLAT *(cont.)*

Electronic Ignition - Specifications

PART NUMBER*		BTU		DIMENSION CHART			
		PENTA	TORPEDO	A"	B"	C" (+/- 1/2")	
						PENTA	TORPEDO
TOR-	18SSEI-SQ	90K	90K	18	12	7-3/4	7-3/4
TOR-	24SSEI-SQ	150K	140K	24	18	9-3/4	7-3/4
TOR-	30SSEI-SQ	250K	225K	30	24	9-3/4	7-3/4
TOR-	36SSEI-SQ	300K	275K	36	30	10-3/4	7-3/4
TOR-	42SSEI-SQ	400K	375K	42	36	11-3/4	7-3/4


*FOR TORPEDO BURNERS ADD TOR-



Push Button Ignition - Specifications

PART NUMBER		DIMENSION CHART				
		PAN	STANDARD BTU		A"	STND FLEX LINE LENGTH
			PENTA	TORPEDO		
TOR-	FPPK18-SQ-FLEX	18"X18"	90K	90K	45"	36"
TOR-	FPPK24-SQ-FLEX	24"X24"	150K	140K	54"	36"
TOR-	FPPK30-SQ-FLEX	30"X30"	250K	185K	54"	36"
TOR-	FPPK36-SQ-FLEX	36"X36"	250K	185K	54"	36"
TOR-	FPPK42-SQ-FLEX	42"X42"	300K	-	54"	36"


*FOR TORPEDO BURNERS ADD TOR-



Match Lit Ignition - Specifications

PART NUMBER		DIMENSION CHART				
		PAN	STANDARD BTU		A"	STND FLEX LINE LENGTH
			PENTA	TORPEDO		
TOR-	MLFPK18-SQ-FLEX	18"X18"	12"	65K	45"	36"
TOR-	MLFPK24-SQ-FLEX	24"X24"	18"	65K	54"	36"
TOR-	MLFPK30-SQ-FLEX	30"X30"	18"	65K	54"	36"

*FOR TORPEDO BURNERS ADD TOR-



H-BURNER

to be the most efficient, safe, and impressive flame on the market.

Installation Considerations

- Minimum of 2" clearance between bottom of insert and ground is required
- 48" clearance to combustibles
- Minimum two sides ventilated
- Minimum 50% free air space within enclosure
- 24VAC models require HPC/SEBCO 24VAC, 100W power supply for inserts ONLY



BENEFITS

- Bowl design includes 1.3" lip to rest over paving stones / enclosure. Depth to pan allows for better media retention
- Fully assembled, commercial grade, CSA-certified fire pit insert

FEATURES

- Raised hub for water mitigation
- Welded gas fitting for strength
- Weep holes for drainage
- Lifetime warranty on burners

SPECIFICATIONS

- Made of #304, 18 gauge stainless steel
- Standard flex line is 36" (when applicable)
- * EI On/Off remote control sold separately

HI/LO Series (Smart App Controlled) - Electronic Ignition

Insert Size***	Burner Sz.	SKU - TORPEDO BURNER TOR-	BTU	MSRP	Rock 2	Glass
24" x 12" x 10-	18" x 6"	24X12SSEI-H-HI/LO-NG/120V TOR-	115k		bags 2	30lbs
1/4" 30" x 12" x	24" x 6"	30X12SSEI-H-HI/LO-NG/120V TOR-	150k		bags 2	40 lbs
10-1/4" 36" x 14"	30" x 8"	36X14SSEI-H-HI/LO-NG/120V TOR-	175k		bags 2	60 lbs
x 10-1/4" 42" x	36" x 8"	42X14SSEI-H-HI/LO-NG/120V TOR-	200k		bags 4	70 lbs
14" x 10-1/4" 54"	48" x 10"	54X16SSEI-H-HI/LO-NG/120V TOR-	250k		bags 6	90 lbs
x 16" x 10-1/4"	60" x 10"	66X16SSEI-H-HI/LO-NG/120V TOR-	300k		bags 6	110
66" x 16" x 10-	72" x 10"	78X16SSEI-H-HI/LO-NG/120V	350k		bags	lbs

ON/OFF Series - Electronic Ignition

Insert Size***	Burner Sz.	SKU - TORPEDO BURNER TOR-	BTU		Rock 2	Glass
24" x 12" x 10-	18" x 6"	24X12SSEI-H-NG/120VAC TOR-	115k		bags 2	30lbs
1/4" 30" x 12" x	24" x 6"	30X12SSEI-H-NG/120VAC TOR-	150k		bags 2	40 lbs
10-1/4" 36" x 14"	30" x 8"	36X14SSEI-H-NG/120VAC TOR-	175k		bags 2	60 lbs
x 10-1/4" 42" x	36" x 8"	42X14SSEI-H-NG/120VAC TOR-	200k		bags 4	70 lbs
14" x 10-1/4" 54"	48" x 10"	54X16SSEI-H-NG/120VAC TOR-	250k		bags 6	90 lbs
x 16" x 10-1/4"	60" x 10"	66X16SSEI-H-NG/120VAC TOR-	300k		bags 6	110 lbs
66" x 16" x 10-	72" x 10"	78X16SSEI-H-NG/120VAC TOR-	350k		bags 6	130 lbs
1/4" 78" x 16" x	84" x 10"	90X16SSEI-H-NG/120VAC	400k		bags	150 lbs

FPPK Series - Push-Button Ignition

Insert Size*	Burner Sz.	SKU - TORPEDO BURNER	BTU		Rock 2	Glass
24" x 12" x 6-	18" x 6"	TOR-FPPK24X12-H-FLEX-NG	115k		bags 2	30lbs
1/2" 30" x 12" x	24" x 6"	TOR-FPPK30X12-H-FLEX-NG	150k		bags 2	40 lbs
6-1/2" 36" x 14"	30" x 8"	TOR-FPPK36X14-H-FLEX-NG	150k		bags 2	60 lbs
x 6-1/2" 42" x	36" x 8"	TOR-FPPK42X14-H-FLEX-NG	200k		bags 4	70 lbs
14" x 6-1/2" 54"	48" x 10"	TOR-FPPK54X16-H-FLEX-NG	200k		bags	90 lbs

FPPK Series - Push-Button Ignition - Small Tank

Insert Size*	Burner Sz.	SKU - TORPEDO BURNER TOR-	BTU		Rock 2	Glass
24" x 12" x 6-	18" x 6"	FPPK24X12-H-FLEX-LP-ST	75k		bags 2	30lbs
1/2" 30" x 12" x	24" x 6"	TOR-FPPK30X12-H-FLEX-LP-ST	90k		bags 2	40 lbs
6-1/2" 36" x 14"	30" x 8"	TOR-FPPK36X14-H-FLEX-LP-ST	90k		bags	60 lbs

MLFPPK Series - Match-Lit Ignition

Insert Size*	Burner Sz.	SKU - TORPEDO BURNER	BTU		Rock 2	Glass
24" x 12" x 6-	18" x 6"	TOR-MLFPPK24X12-H-FLEX-NG	65k		bags 2	30lbs
1/2" 30" x 12" x	24" x 6"	TOR-MLFPPK30X12-H-FLEX-NG	65k		bags 2	40 lbs
6-1/2" 36" x 14"	30" x 8"	TOR-MLFPPK36X14-H-FLEX-NG	65k		bags	60 lbs

MLFPPK Series - Match-Lit Ignition - Small Tank

Insert Size*	Burner Sz.	SKU - TOR	BTU	MSRP	Rock	Glass
24" x 12" x 6-1/2"	18" x 6"	TOR-MLFPPK24X12-H-FLEX-LP-ST	65k	\$1081.932	bags	30lbs
30" x 12" x 6-1/2"	24" x 6"	TOR-MLFPPK30X12-H-FLEX-LP-ST	65k	\$1195.742	bags	40 lbs
36" x 14" x 6-1/2"	30" x 8"	TOR-MLFPPK36X14-H-FLEX-LP-ST	65k	\$1480.492	bags	60 lbs

*Insert Size: Insert height includes 2-1/2" pan depth. **El Models: Listed height is for standard burner models only. All Torpedo El fire pits are 9-1/2" tall including pan.



El HI/LO Smart App Controlled



El ON/OFF



Push Button Ignition



Match Lit Ignition






ELECTRONIC IGNITION



These fire pits are available as ON/OFF or HI/LO. The former is a simple remote-activated on or off switch, whereas the HI/LO can be controlled via Bluetooth and allows for adjustable flame height. Can also be set on install with trimmer valve.

PUSH BUTTON IGNITION



Push button fire pits are controlled using a simple knob and button on a stainless steel valve box and features a flame-sensing system to turn off gas if flame is lost.

MATCH LIT IGNITION




Match lit fire pits are ignited simply by turning the key valve and lighting the gas with a lighter.

H-BURNER *(cont.)*


Electronic Ignition - Specifications

PART NUMBER	BTU	DIMENSION CHART		
		A"	B"	C" (+/- 1/2")
TOR-24X12SSEI-H	115K	24	12	7-3/4
TOR-30X12SSEI-H	150K	30	12	7-3/4
TOR-36X14SSEI-H	175K	36	14	7-3/4
TOR-42X14SSEI-H	200K	42	14	7-3/4
TOR-54X16SSEI-H	250K	54	16	7-3/4
TOR-66X16SSEI-H	300K	66	16	7-3/4
TOR-78X16SSEI-H	350K	78	16	7-3/4
TOR-90X16SSEI-H	400K	90	16	7-3/4



Push Button Ignition - Specifications


PART NUMBERS		PAN	DIMENSION CHART			
			STANDARD BTU		A"	STND FLEX LINE LENGTH
			PENTA	TORPEDO		
TOR-	FPPK24X12-H-FLEX	24"X12"	75K	115K	56LX28W	36"
TOR-	FPPK30X12-H-FLEX	30"X12"	100K	150K	56LX28W	36"
TOR-	FPPK36X14-H-FLEX	36"X14"	125K	150K	64LX32W	36"
TOR-	FPPK42X14-H-FLEX	42"X14"	150K	200K	64LX32W	36"
TOR-	FPPK54X16-H-FLEX	54"X16"	200K	200K	76LX38W	36"



Match Lit Ignition - Specifications

PART NUMBER		PAN	DIMENSION CHART			
			STANDARD BTU		A"	STND FLEX LINE LENGTH
			PENTA	TORPEDO		
TOR-	MLFPPK24X12-FLEX	24"X12"	65K	65K	56"X28"	36"
TOR-	MLFPPK30X12-FLEX	30"X12"	65K	65K	56"X28"	36"
TOR-	MLFPPK36X14-FLEX	36"X14"	65K	65K	64"X32"	36"

*FOR TORPEDO BURNERS ADD TOR-



LINEAR TROUGH

Our CSA-certified fire pit inserts are made of durable stainless steel and designed to be the most efficient, safe, and impressive flame on the market.

Installation Considerations

- Minimum of 2" clearance between bottom of insert and ground is required
- 48" clearance to combustibles
- Minimum two sides ventilated
- Minimum 50% free air space within enclosure
- 24VAC models require HPC/SEBCO 24VAC, 100W power supply for inserts ONLY



BENEFITS

- Bowl design includes 1.3" lip to rest over paving stones / enclosure. Depth to pan allows for better media retention
- Fully assembled, commercial grade, CSA-certified fire pit insert

FEATURES

- Raised hub for water mitigation
- Welded gas fitting for strength
- Weep holes for drainage
- Lifetime warranty on burners

SPECIFICATIONS

- Made of #304, 18 gauge stainless steel
- Standard flex line is 36" (when applicable)
- * EI On/Off remote control sold separately

HI/LO Series (Smart App Controlled) - Electronic Ignition

Insert	Size***	Burner Sz.	SKU - TORPEDO BURNER TOR-	BTU	MSRP	Rock	1	Glass
24" x 8" x 10-1/4"		23-1/2"	24SSEI-TRGH-HI/LO-NG/120V TOR-	75k		bag		20lbs
1/4" 36" x 8" x 10-1/4"		35-1/2"	36SSEI-TRGH-HI/LO-NG/120V TOR-	115k		2 bags		30lbs
10-1/4" 48" x 8" x 10-1/4"		47-1/2"	48SSEI-TRGH-HI/LO-NG/120V TOR-	150k		2 bags		40lbs
x 10-1/4" 60" x 10-1/4"		59-1/2"	60SSEI-TRGH-HI/LO-NG/120V TOR-	175k		2 bags		50lbs
8" x 10-1/4" 72" x 10-1/4"		71-1/2"	72SSEI-TRGH-HI/LO-NG/120V TOR-	200k		2 bags		60lbs
x 8" x 10-1/4" 96" x 10-1/4"		95-1/2"	96SSEI-TRGH-HI/LO-NG/120V	300k		2 bags		80lbs

ON/OFF Series - Electronic Ignition

Insert	Size***	Burner Sz.	SKU - TORPEDO BURNER TOR-	BTU		Rock	1	Glass
24" x 8" x 10-1/4"		23-1/2"	24SSEI-TRGH-NG/120VAC TOR-	75k		bag	2	20lbs
1/4" 36" x 8" x 10-1/4"		35-1/2"	36SSEI-TRGH-NG/120VAC TOR-	115k		bags	2	30lbs
10-1/4" 48" x 8" x 10-1/4"		47-1/2"	48SSEI-TRGH-NG/120VAC TOR-	150k		bags	2	40lbs
x 10-1/4" 60" x 10-1/4"		59-1/2"	60SSEI-TRGH-NG/120VAC TOR-	175k		bags	2	50lbs
8" x 10-1/4" 72" x 10-1/4"		71-1/2"	72SSEI-TRGH-NG/120VAC TOR-	200k		bags	2	60lbs
x 8" x 10-1/4" 96" x 10-1/4"		95-1/2"	96SSEI-TRGH-NG/120VAC	300k		bags		80lbs

FPPK Series - Push-Button Ignition

Insert	Size*	Burner Sz.	SKU - TORPEDO BURNER	BTU		Rock	1	Glass
24" x 8" x 6-1/2"		23-1/2"	TOR-FPPK24-TRGH-FLEX-NG	75k		bag	2	20lbs
1/2" 36" x 8" x 6-1/2"		35-1/2"	TOR-FPPK36-TRGH-FLEX-NG	115k		bags	2	30lbs
6-1/2" 48" x 8" x 6-1/2"		47-1/2"	TOR-FPPK48-TRGH-FLEX-NG	150k		bags	2	40lbs
x 6-1/2" 60" x 6-1/2"		59-1/2"	TOR-FPPK60-TRGH-FLEX-NG	175k		bags	2	50lbs
8" x 6-1/2" 72" x 6-1/2"		71-1/2"	TOR-FPPK72-TRGH-FLEX-NG	200k		bags	2	60lbs
x 8" x 6-1/2" 96" x 6-1/2"		95-1/2"	TOR-FPPK96-TRGH-FLEX-NG	300k		bags		80lbs

FPPK Series - Push-Button Ignition - Small Tank

Insert	Size*	Burner Sz.	SKU - TORPEDO BURNER TOR-	BTU		Rock	1	Glass
24" x 8" x 6-1/2"		23-1/2"	FPPK24-TRGH-FLEX-LP-ST TOR-	50k		bag	2	20lbs
1/2" 36" x 8" x 6-1/2"		35-1/2"	FPPK36-TRGH-FLEX-LP-ST TOR-	75k		bags	2	30lbs
6-1/2" 48" x 8" x 6-1/2"		47-1/2"	FPPK48-TRGH-FLEX-LP-ST TOR-	90k		bags	2	40lbs
x 6-1/2" 60" x 6-1/2"		59-1/2"	FPPK60-TRGH-FLEX-LP-ST	90k		bags		50lbs

MLFPK Series - Match-Lit Ignition

Insert	Size*	Burner Sz.	SKU - TORPEDO BURNER TOR-	BTU		Rock	1	Glass
24" x 8" x 6-1/2"		23-1/2"	MLFPK24 TRGH-FLEX-NG TOR-	65k		bag	2	20lbs
1/2" 36" x 8" x 6-1/2"		35-1/2"	MLFPK36 TRGH-FLEX-NG TOR-	65k		bags	2	30lbs
6-1/2" 48" x 8" x 6-1/2"		47-1/2"	MLFPK48 TRGH-FLEX-NG	65k		bags		40lbs

MLFPK Series - Match-Lit Ignition - Small Tank

Insert Size*BurnerSz.SKU-TORP	OBURNERBTUMSRP										Rock	Glass										
24" x 8" x 6-1/2"23-1/2"TOR-MLFPK24	TRGH-FLEX-LP-ST50k\$752.911										bag	20lbs	36" x 8" x 6-1/2"35-1/2"TOR-MLFPK36	TRGH-FLEX-LP-ST65k\$854.112		bags	30lbs	48" x 8" x 6-1/2"47-1/2"TOR-MLFPK48	TRGH-FLEX-LP-ST65k\$1009.152		bags	40lbs

*Insert Size: Insert height includes 2-1/2" pan depth. **El Models: Listed height is for standard burner models only. All Torpedo EI fire pits are 9-1/2" tall including pan.



EI HI/LO Smart App Controlled



EI ON/OFF



Push Button Ignition



Match Lit Ignition






ELECTRONIC IGNITION



These fire pits are available as ON/OFF or HI/LO. The former is a simple remote-activated on or off switch, whereas the HI/LO can be controlled via Bluetooth and allows for adjustable flame height. Can also be set on install with trimmer valve.

PUSH BUTTON IGNITION



Push button fire pits are controlled using a simple knob and button on a stainless steel valve box and features a flame-sensing system to turn off gas if flame is lost.

MATCH LIT IGNITION





Match lit fire pits are ignited simply by turning the key valve and lighting the gas with a lighter.

LINEAR TROUGH (cont.)



Electronic Ignition - Specifications

PART NUMBER	BTU	DIMENSION CHART		
		PAN	BURNER	C" (+/- 1/2")
TOR-24SSEI-TRGH	75K	24.5"	23.50"	7-3/4
TOR-36SSEI-TRGH	115K	36.5"	35.50"	7-3/4
TOR-48SSEI-TRGH	150K	48.5"	47.50"	7-3/4
TOR-60SSEI-TRGH	175K	60.5"	59.50"	7-3/4
TOR-72SSEI-TRGH	200K	72.5"	71.50"	7-3/4
TOR-96SSEI-TRGH	300K	96.5"	95.5"	7-3/4




Push Button Ignition - Specifications

PART NUMBER		DIMENSION CHART			
		PAN	STANDARD BTU TORPEDO	A"	STND FLEX LINE LENGTH
TOR-	FPPK24-TRGH-FLEX	24.5"	75K	44LX24W	36"
TOR-	FPPK36-TRGH-FLEX	36.5"	115K	56LX24W	36"
TOR-	FPPK48-TRGH-FLEX	48.5"	150K	68LX24W	36"
TOR-	FPPK60-TRGH-FLEX	60.5"	175K	80LX24W	36"
TOR-	FPPK72-TRGH-FLEX	72.5"	200K	92LX24W	36"
TOR-	FPPK96-TRGH-FLEX	96.5"	300K	116LX24W	36"



Match Lit Ignition - Specifications

PART NUMBER		DIMENSION CHART			
		PAN	STANDARD BTU		STND FLEX LINE LENGTH
			PENTA	TORPEDO	
TOR-	MLFPK24-TRGH-FLEX	24.5"	50K	65K	36"
TOR-	MLFPK36-TRGH-FLEX	36.5"	65K	65K	36"
TOR-	MLFPK48-TRGH-FLEX	48.5"	65K	65K	36"



INTERLINK

to be the most efficient, safe, and impressive flame on the market.

Installation Considerations

- Minimum of 2" clearance between bottom of insert and ground is required
- 48" clearance to combustibles
- Minimum two sides ventilated
- Minimum 50% free air space within enclosure
- 24VAC models require HPC/SEBCO 24VAC, 100W power supply for inserts ONLY



BENEFITS

- Interlinking pans can be connected side by side to create a continuous flame
- Fully assembled, commercial grade, CSA-certified fire pit insert

FEATURES

- Raised hub for water mitigation
- Welded gas fitting for strength
- Weep holes for drainage
- Lifetime warranty on burners

SPECIFICATIONS

- Made of #304, 18 gauge stainless steel
- Standard flex line is 36" (when applicable)
- * EI On/Off remote control sold separately

HI/LO Series (Smart App Controlled) - Electronic Ignition

Insert Size*	Burner Sz.
25" x 8" x 9-1/4"	24"
37" x 8" x 9-1/4"	36"
49" x 8" x 9-1/4"	48"
61" x 8" x 9-1/4"	60"
73" x 8" x 9-1/4"	72"
97" x 8" x 9-1/4"	96"
121" x 8" x 9-1/4"	120"

SKU - TORPEDO BURNER TOR-	BTU MSRP
25X8SSEI-L-HI/LO-NG/120VAC TOR-	75k
37X8SSEI-L-HI/LO-NG/120VAC TOR-	115k
49X8SSEI-L-HI/LO-NG/120VAC TOR-	150k
61X8SSEI-L-HI/LO-NG/120VAC TOR-	175k
73X8SSEI-L-HI/LO-NG/120VAC TOR-	200k
97X8SSEI-L-HI/LO-NG/120VAC TOR-	300k
121X8SSEI-L-HI/LO-NG/120V TOR-	300k

Rock 1	Glass
bag	30lbs
2 bags	40lbs
2 bags	50lbs
2 bags	60lbs
4 bags	70lbs
4 bags	80lbs
6 bags	90lbs

ON/OFF Series - Electronic Ignition

Insert Size*	Burner Sz.
25" x 8" x 9-1/4"	24"
37" x 8" x 9-1/4"	36"
49" x 8" x 9-1/4"	48"
61" x 8" x 9-1/4"	60"
73" x 8" x 9-1/4"	72"
97" x 8" x 9-1/4"	96"
121" x 8" x 9-1/4"	120"

SKU - TORPEDO BURNER TOR-	BTU
25X8SSEI-L-NG/120VAC TOR-	75k
37X8SSEI-L-NG/120VAC TOR-	115k
49X8SSEI-L-NG/120VAC TOR-	150k
61X8SSEI-L-NG/120VAC TOR-	175k
73X8SSEI-L-NG/120VAC TOR-	200k
97X8SSEI-L-NG/120VAC TOR-	300k
121X8SSEI-L-NG/120VAC TOR-	300k

Rock 1	Glass
bag 2	30lbs
bags 2	40lbs
bags 2	50lbs
bags 4	60lbs
bags 4	70lbs
bags 6	80lbs
bags	90lbs

FPPK Series - Push-Button Ignition

Insert Size*	Burner Sz.
25" x 8" x 5-1/2"	24"
1/2" 37" x 8" x 5-1/2"	36"
5-1/2" 49" x 8" x 5-1/2"	48"
61" x 8" x 5-1/2"	60"
73" x 8" x 5-1/2"	72"
97" x 8" x 5-1/2"	96"

SKU - TORPEDO BURNER TOR-	BTU
TOR-FPPK25X8-L-FLEX-NG	75k
TOR-FPPK37X8-L-FLEX-NG	115k
TOR-FPPK49X8-L-FLEX-NG	150k
TOR-FPPK61X8-L-FLEX-NG	175k
TOR-FPPK73X8-L-FLEX-NG	200k
TOR-FPPK97X8-L-FLEX-NG	250k

Rock 1	Glass
bag 2	30lbs
bags 2	40lbs
bags 2	50lbs
bags 4	60lbs
bags 4	70lbs
bags	80lbs

FPPK Series - Push-Button Ignition - Small Tank

Insert Size*	Burner Sz.
25" x 8" x 5-1/2"	24"
1/2" 37" x 8" x 5-1/2"	36"
5-1/2" 49" x 8" x 5-1/2"	48"
61" x 8" x 5-1/2"	60"

SKU - TORPEDO BURNER TOR-	BTU
TOR-FPPK25X8-L-FLEX-LP-ST	75k
TOR-FPPK37X8-L-FLEX-LP-ST	115k
TOR-FPPK49X8-L-FLEX-LP-ST	150k
TOR-FPPK61X8-L-FLEX-LP-ST	175k

Rock 1	Glass
bag 2	30lbs
bags 2	40lbs
bags 2	50lbs
bags	60lbs

MLFPPK Series - Match-Lit Ignition

Insert Size*	Burner Sz.
25" x 8" x 5-1/2"	24"
1/2" 37" x 8" x 5-1/2"	36"
5-1/2" 49" x 8" x 5-1/2"	48"

SKU - TORPEDO BURNER TOR-	BTU
TOR-MLFPPK25X8-L-FLEX-NG	65k
TOR-MLFPPK37X8-L-FLEX-NG	65k
TOR-MLFPPK49X8-L-FLEX-NG	65k

Rock 1	Glass
bag 2	30lbs
bags 2	40lbs
bags	50lbs

MLFPPK Series - Match-Lit Ignition - Small Tank

Insert Size*	BurnerSz.
25" x 8" x 5-1/2"	24"
1/2" 37" x 8" x 5-1/2"	36"
5-1/2" 49" x 8" x 5-1/2"	48"

SKU-TORPEDOBURNER TOR-	BTU
MLFPPK25X8-L-FLEX-LP-ST	65k
TOR-MLFPPK37X8-L-FLEX-LP-	65k
ST TOR-MLFPPK49X8-L-FLEX-	65k

Rock 1	Glass
bag 2	30lbs
bags 2	40lbs
bags	50lbs

*Insert Size: Insert height includes 1-1/2" pan depth.



EI HI/LO Smart App Controlled



EI ON/OFF



Push Button Ignition



Match Lit Ignition






ELECTRONIC IGNITION



These fire pits are available as ON/OFF or HI/LO. The former is a simple remote-activated on or off switch, whereas the HI/LO can be controlled via Bluetooth and allows for adjustable flame height. Can also be set on install with trimmer valve.

PUSH BUTTON IGNITION



Push button fire pits are controlled using a simple knob and button on a stainless steel valve box and features a flame-sensing system to turn off gas if flame is lost.

MATCH LIT IGNITION




Match lit fire pits are ignited simply by turning the key valve and lighting the gas with a lighter.

INTERLINK *(cont.)*

Electronic Ignition - Specifications



PART NUMBER	BTU	DIMENSION CHART		
		PAN	BURNER	C (+/- 1/2")
TOR-25X8SSEI-L	75K	25"	24"	7-3/4"
TOR-37X8SSEI-L	115K	37"	36"	7-3/4"
TOR-49X8SSEI-L	150K	49"	48"	7-3/4"
TOR-61X8SSEI-L	175K	61"	60"	7-3/4"
TOR-73X8SSEI-L	200K	73"	72"	7-3/4"
TOR-97X8SSEI-L	300K	97"	96"	7-3/4"
TOR-121X8SSEI-L	300K	121"	120"	7-3/4"



FRONT ELEVATION

Push Button Ignition - Specifications



PART NUMBER		DIMENSION CHART			
		PAN	STANDARD BTU	A"	STND FLEX LINE LENGTH
			TORPEDO		
TOR-	FPPK25X8-L-FLEX	25"	75K	45LX24W	36"
TOR-	FPPK37X8-L-FLEX	37"	115K	57LX24W	36"
TOR-	FPPK49X8-L-FLEX	49"	150K	69LX24W	36"
TOR-	FPPK61X8-L-FLEX	61"	175K	81LX24W	36"
TOR-	FPPK73X8-L-FLEX	73"	200K	93LX24W	36"
TOR-	FPPK97X8-L-FLEX	97"	300K	117LX24W	36"



FRONT VIEW

Match Lit Ignition - Specifications

PART NUMBER		DIMENSION CHART			
		PAN	STANDARD BTU		STND FLEX LINE LENGTH
			PENTA	TORPEDO	
TOR-	MLFPK24-TRGH-FLEX	24.5"	50K	65K	36"
TOR-	MLFPK36-TRGH-FLEX	36.5"	65K	65K	36"
TOR-	MLFPK48-TRGH-FLEX	48.5"	65K	65K	36"



OUTDOOR FIREPLACES

CERTIFIED FIRE PIT INSERTS

Our certified fireplace inserts are sure to make an impact in your outdoor living space. Available in two distinctive styles and designed ideally for retrofit or new construction, these burners pair exceptionally well with our ceramic log sets .

Installation Considerations

- For outdoor use ONLY
- For use with fixed piping systems only; not for use with small tanks
- Select a location that allows for easy access for installation and maintenance
- Maintain 18" of vertical space and 18" of depth in fireplace cavity
- Consult product instructions for fireplace cavity width



BENEFITS

- Low profile with multiple media choices
- Weather resistant valve
- Fully assembled, commercial grade, CSA-certified fireplace insert

FEATURES

- Adjustable feet for burner height changes
- Bluetooth control (on select models)
- Weep holes for water drainage

SPECIFICATIONS

- Composed of black powder-coated stainless steel

Dual Step - Electronic Ignition

Insert	Size	Burner Sz.	SKU	BTU	MSRP
22" x 10" x 3"	21"		BOF22EI-NG/120VAC	90k	
3" 28" x 10"	27"		DBOF28EI-NG/120VAC	110k	

Dual Step - Push Button Ignition

Insert	Size	Burner Sz.	SKU	BTU	
27" x 11" x 3"	21"		DBOF27PBFS-NG	90k	
33" x 11" x 3"	27"		DBOF33PBFS-NG	110k	

Linear - Electronic Ignition

Insert Size	Burner Sz.	SKU	BTU	
22" x 6" x 3"	21"	LBOF22EI-HI/LO-NG/120VAC	50k	
38" x 6" x 3"	27"	LBOF28EI-HI/LO-NG/120VAC	75k	
46" x 6" x 3"	45"	LBOF46EI-HI/LO-NG/120VAC	100k	
58" x 6" x 3"	57"	LBOF58EI-HI/LO-NG/120VAC	110k	
70" x 6" x 3"	69"	LBOF70EI-HI/LO-NG/120VAC	120k	
82" x 6" x 3"	81"	LBOF82EI-HI/LO-NG/120VAC	130k	

Linear - Push Button Ignition

Insert Size 27" x	Burner Sz.	SKU	BTU	
11" x 3" 33" x	21"	LBOF27PBFS-NG	50k	
11" x 3" 51" x	27"	LBOF33PBFS-NG	75k	
11" x 3" 63" x	45"	LBOF51PBFS-NG	100k	
11" x 3" 75" x	57"	LBOF63PBFS-NG	110k	
11" x 3" 87" x	69"	LBOF75PBFS-NG	120k	
11" x 3"	81"	LBOF87PBFS-NG	130k	



Dual Step EI Burner



Linear EI Burner

KITS AVAILABLE!

Fireplacekits are available, including burner, grate, and logs . See page 75 for a chart containing all of the relevant part numbers!

Adjustable Feet



High Setting



Low Setting



ALUMINUM BOWL

HPC's new lightweight aluminum bowl offers an aesthetic appeal while boasting a powerful flame and a superior ignition system .

Installation Considerations

- Ensure bowl is placed on level ground
- Do not block pre-cut ventilation on bottom of bowl
- Natural gas: minimum 3.5" W.C.; Maximum 7.0"
- Liquid propane: minimum 8.0" W.C.; Maximum 11.0"



BENEFITS

- Extremely lightweight
- Sleek, modern look without the hassle of actual concrete
- Easy handling

FEATURES

- Built-in ventilation
- Two powder-coat finishes to choose from
- Lip pan separates from bowl

SPECIFICATIONS

- Made with spun 502 aluminum
- Available with Match-Lit or Electronic Ignition control systems

Need LP or 24-Volt Models?

Change "NG" to "LP" in SKU for liquid propane applications
Change "120VAC" to "24VAC" in SKU for 24-V applications

HI/LO Series - Electronic Ignition

Finish	Bowl Size	SKU - STANDARD BURNER	BTU	
Concrete	ø 35" x 14-1/2" ø	STONE30EI-HI/LO-NG/120VAC	125k	
Walnut	35" x 14-1/2"	WALNUT30EI-HI/LO-NG/120VAC	125k	

SKU - TORPEDO BURNER	BTU		Rock 2	Glass
TOR-STONE30EI-HI/LO-NG/120VAC	125k		bags 2	90lbs
TOR-WALNUT30EI-HI/LO-NG/120VAC	125k		bags	90lbs

ON/OFF Series - Electronic Ignition

Finish	Bowl Size	SKU - STANDARD BURNER	BTU	
Concrete	ø 35" x 14-1/2"	STONE30EI-NG/120VAC	125k	
Walnut	ø 35" x 14-1/2"	WALNUT30EI-NG/120VAC	125k	

SKU - TORPEDO BURNER	BTU		Rock 2	Glass
TOR-STONE30EI-NG/120VAC	125k		bags 2	90lbs
TOR-WALNUT30EI-NG/120VAC	125k		bags	90lbs

MLFPK Series - Match-Lit Ignition

Finish	Bowl Size	SKU - STANDARD BURNER	BTU	
Concrete	ø 35" x 14-1/2"	STONE30MLFPK-NG	125k	
Walnut	ø 35" x 14-1/2"	WALNUT30MLFPK-NG	125k	

SKU - TORPEDO BURNER	BTU		Rock 2	Glass
TOR-STONE30MLFPK-NG	125k		bags 2	90lbs
TOR-WALNUT30MLFPK-NG	125k		bags	90lbs



FINISH OPTIONS

The Aluminum Bowl series is available with two finishes: concrete and walnut. The former resembles real concrete without any of the hassle, and the latter offers a wooden aesthetic for those who prefer a warmer look over the concrete's sleek, modern appearance. Walnut finish pictured above.

The Aluminum Bowl includes built-in ventilation along the bottom ring of the bowl and a precut hole at its base for running a gas line. The pan separates from the bowl easily to simplify maintenance.



COPPER BOWLS

Our beautiful Copper Bowls are the perfect addition to an elegant backyard . Available in a variety of shapes, sizes, and with different finishes to choose from, there is no shortage of customization when it comes to amplifying your outdoor living space with a copper bowl .

Installation Considerations

- Ensure bowl is placed on level ground
- For bowls that do not have ventilation, spacers are provided . Bowl needs to be raised with a minimum of 3/4" gap & a minimum of 6" diameter hole in bottom
- 12VAC models require HPC/SEBCO 12VAC 100W power supply for copper ONLY



BENEFITS

- Beautiful hammered / smooth & oil-rubbed copper finish
- Built-in ventilation or spacers provided
- Access doors for convenient maintenance

FEATURES

- Many bowls are available with water scuppers for poolside applications
- Standard and Torpedo burner varieties are available

SPECIFICATIONS

- Poolside Fire & Water bowls use 1" FIP fitting for pool pump connection
- 12V models available for poolside applications

Mesa Series - Electronic Ignition

Bowl Size	Bowl Type
ø 32" x	Fire
15" ø 32"	Fire & Water

SKU - STANDARD BURNER	BTU
MESA32-EI-NG/120VAC	50k
MESA32W-EI-NG/12VAC	50k

SKU - TORPEDO BURNER	BTU
TOR-MESA32-EI-NG/120VAC	50k
TOR-MESA32W-EI-NG/12VAC	50k

Rock	Glass
2 bags	30lbs
2 bags	30lbs

Mesa Series - Match Lit

Bowl Size ø	Bowl Type
32" x 15" ø	Fire
32" x 15"	Fire & Water

SKU-STANDARD BURNER	BTU
MESA32-MLFPK-NG	50k
MESA32W-MLFPK-NG	50k

SKU - TORPEDO BURNER	BTU
TOR-MESA32-MLFPK-NG	50k
TOR-MESA32W-MLFPK-NG	50k

Rock	Glass
2 bags	30lbs
2 bags	30lbs



Sedona Series - Electronic Ignition

Bowl Size	Bowl Type
40" x 40" x	Fire
16" 40" x 40"	Fire & Water

SKU - STANDARD BURNER	BTU
SEDO40-EI-NG/120VAC	100k
SEDO40W-EI-NG/12VAC	100k

SKU - TORPEDO BURNER	BTU
TOR-SEDO40-EI-NG/120VAC	100k
TOR-SEDO40W-EI-NG/12VAC	100k

Rock	Glass
2 bags	60lbs
2 bags	60lbs

Sedona Series - Match Lit

Bowl Size	Bowl Type
40" x 40" x 16"	Fire
40" x 40" x 16"	Fire & Water

SKU-STANDARD BURNER	BTU
SEDO40-MLFPK-NG	50k
SEDO40W-MLFPK-NG	50k

SKU - TORPEDO BURNER	BTU
TOR-SEDO40-MLFPK-NG	65k
TOR-SEDO40W-MLFPK-NG	65k

Rock	Glass
2 bags	60lbs
2 bags	60lbs





Tempe Series - Electronic Ignition

Bowl Size	Bowl Type	SKU - STANDARD BURNER	BTU	
ø 31" x 10.5" ø	Fire	TEMP31-EI-NG/120VAC	50k	
31" x 10.5"	Fire & Water	TEMP31W-EI-NG/12VAC	50k	

SKU - TORPEDO BURNER	BTU		Rock	Glass
TOR-TEMP31-EI-NG/120VAC	50k		2 bags	40lbs
TOR-TEMP31W-EI-NG/12VAC	50k		2 bags	40lbs

Tempe Series - Match Lit

Bowl Size	Bowl Type	SKU-STANDARD BURNER	BTU	
ø 31" x 10.5"	Fire	TEMP31-MLFPK-NG	50k	
ø 31" x 10.5"	Fire & Water	TEMP31W-MLFPK-NG	50k	

SKU - TORPEDO BURNER	BTU		Rock	Glass
TOR-TEMP31-MLFPK-NG	50k		2 bags	40lbs
TOR-TEMP31W-MLFPK-NG	50k		2 bags	40lbs



Sierra Series - Electronic Ignition

Bowl Size	Bowl Type	SKU - STANDARD BURNER	BTU	
36" x 36" x	Fire & Water	SIER36-EI-NG/120VAC	50k	
16" 36" x		SIER36W-EI-NG/12VAC	50k	

SKU - TORPEDO BURNER	BTU		Rock	Glass
TOR-SIER36-EI-NG/120VAC	50k		2 bags	40lbs
TOR-SIER36W-EI-NG/12VAC	50k		2 bags	40lbs

Sierra Series - Match Lit

Bowl Size	Bowl Type	SKU-STANDARD BURNER	BTU	
40" x 40" x	Fire	SIER36-MLFPK-NG	50k	
16" 40" x 40"	Fire & Water	SIER36W-MLFPK-NG	50k	

SKU - TORPEDO BURNER	BTU		Rock	Glass
TOR-SIER36-MLFPK-NG	50k		2 bags	40lbs
TOR-SIER36W-MLFPK-NG	50k		2 bags	40lbs

Phoenix Series - Electronic Ignition

Bowl Size	Burner Type	SKU - STANDARD BURNER	BTU	MSRP
47" x 25" x	H-Burner	-	-	-
18" 47" x 25"	Linear Burner	-	-	-

SKU - TORPEDO BURNER	BTU		Rock	Glass
TOR-PHOEN47X25/H-EI-NG/120VAC	100k		2 bags	60lbs
TOR-PHOEN47X25/TRGH-EI-NG/120VAC	75k		2 bags	60lbs

Phoenix Series - Push Button Ignition

Bowl Size	Bowl Type	SKU - STANDARD BURNER	BTU	MSRP
47" x 25" x	H-Burner	-	-	-
18" 47" x 25"	Linear Burner	-	-	-

SKU - TORPEDO BURNER	BTU		Rock	Glass
TOR-PHOEN47X25/HBURN-FPPK-NG	90k		2 bags	60lbs
TOR-PHOEN47X25/TRGH-FPPK-NG	75k		2 bags	60lbs

Phoenix Series - Match Lit

Bowl Size	Bowl Type	SKU - STANDARD BURNER	BTU	MSRP
47" x 25" x 18"	H-Burner	-	-	-
47" x 25" x 18"	Linear Burner	-	-	-

SKU - TORPEDO BURNER	BTU		Rock	Glass
TOR-PHOEN47X25/HBURN-MLFPK-NG	65k		2 bags	60lbs
TOR-PHOEN47X25/TRGH-MLFPK-NG	65k		2 bags	60lbs



EVOLUTION 360

HPC's Vesta award-winning fire & water feature. Available in a Fire on Water "H2Onfire" variant, the first of its kind to be certified in North America, passing stringent wind, rain, and combustion tests .

Installation Considerations

- Ensure bowl is placed on level ground or utilize leg levellers
- When building enclosure, allow for maintenance access
- The Evolution 360 must be winterized



BENEFITS

- Remote control w/ auto re-light
- Operates under 1/4 psi, allowing for residential installations

FEATURES

- LED lighting
- Available with water scuppers or 360 degree water flow
- Adjustable levelling feet

SPECIFICATIONS

- Includes basin, 26" copper water bowl, and EI fire pit

* Optional remote available: 578-G4

Evolution 360 - Electronic Ignition

Bowl Size	Bowl Type	SKU - STANDARD BURNER	BTU		Rock	Glass
52" x 30" Ø	4 Scupper	WB52R-TEMP4-EI-NG	90k		1 bag	20lbs
52" x 30"	360	WB52R-TEMP360-EI-NG	90k		1 bag	20lbs



H2Onfire - Electronic Ignition

Bowl Size	Bowl Type	SKU - STANDARD BURNER	BTU		Rock	Glass
Ø 52" x 30"	Burnt Sienna	FOW52R-MONACO4BS-EI-	65k		1 bag	20lbs
Ø 52" x 30"	Black	NG FOW52R-MONACO4BL-	65k		1 bag	20lbs
Ø 52" x 30"	Copper	EI-NG FOW52R-CYPRUS360-EI-NG	65k		1 bag	20lbs




TK TORCH

Our TK Torches bring resort style living to your backyard without having to handle fuel or gels . They are robust, reliable, and built to last .

Installation Considerations

- 12" of the pole is to be buried underground



BENEFITS

- Sturdy torch pole / cap while maintaining a classic look
- Powerful flame for size

FEATURES

- Black powder coated pole
- Hammered copper or powder coated black torch head
- Easy-to-use match lit controls are just like lighting a candle

SPECIFICATIONS

- 96" post (when applicable)
- Burner assembly is #304 stainless steel for durability

 MLFPK Series - Match Lit Ignition

Finish	Style	Bowl Size	SKU	BTU	
Black	Post Included	ø 9" x 96"	TK40MAN-B-NG	25k	
Black	Head Only	ø 9" x 12"	TKHEAD40MAN-B-NG	25k	
Copper	Post Included	ø 9" x 96"	TK40MAN-C-NG	25k	
Copper	Head Only	ø 9" x 12"	TKHEAD40MAN-C-NG	25k	



SPORT PIT

For tailgaters and outdoor adventurers alike, the Sport Pit is a safe, reliable, and portable fire pit.

Installation Considerations

- Ensure Sport Pit is placed on level ground
- HPC recommends at least 10ft of space between Sport Pit and propane tank



BENEFITS

- Extremely lightweight and portable
- Easy transportation with spin on lid and handle
- Fire glass included

FEATURES

- Tip-over switch for automatic shutoff
- LP tank covers are available

SPECIFICATIONS

- 13hour burntime with 20lb tank
- Built-in regulator with 13 foot hose

Match Lit - Sport Pit

Finish	Bowl Size	SKU-STANDARD BURNER	BTU	
Black	ø 20" x13"	SPORTPIT20-BLK	37k	

A FIRE PIT FOR THOSE WHO WANDER

The Sport Pit is the perfect fire pit for anyone who frequents tailgates or campgrounds. Lightweight, perfectly portable, and aesthetically pleasing, all while offering a solid flame, this fire pit makes a great gift. Customize it with a sticker from your favorite athletics team or outdoor brand and put it in the back of the camper! Includes lid with handle, fire glass, and hose for gas connection. Burns for 13 hours on a 20lb liquid propane tank.



LP Small Tank Cover

SKU	MSRP
ST-COVER	\$45.9

A logoed cover that fits⁵ over a small propane tank. Velcro flap allows hose access. Can be used with any LP model HPC products. Flat top can be used to set lightweight objects on top.



MATCH LIT KITS

NOW INCLUDING PANS! HPC's uncertified match lit kits are the perfect solution for anyone looking for a match lit fire pit in sizes that are not typically offered. Although they are not certified by CSA, they are still completely safe-- they are simply classified as a "high pressure" unit.

Installation Considerations

- Minimum of 2" clearance between bottom of insert and ground is required
- No more than two sides should be enclosed
- 48" clearance from wall to insert
- Minimum two sides ventilated
- Minimum 50% free air space within enclosure



BENEFITS

- Uncertified match lit kits are capable of surpassing the BTU limit set by CSA certification standards while still being safe and family-friendly.

FEATURES

- Includes everything you need to put a fire pit together: burner, pan, valve w/ chrome flange, flex line, and fittings.
- Raised hub for water mitigation
- Weep holes for drainage

SPECIFICATIONS

- Made of #304, 18 gauge stainless steel

Round Flat - Uncertified Match Lit Kits

Insert Size	Burner Sz.
ø 18" x 10-1/4"	12"
ø 24" x 10-1/4"	18"
ø 30" x 12-1/4"	24"
ø 36" x 13-1/4"	30"
ø 42" x 14-1/4"	36"
ø 54" x 14-1/4"	48"

SKU - STANDARD BURNER	BTU
CFPK/PENTA12 KIT	65k
CFPK/PENTA18 KIT	125k
CFPK/PENTA24 KIT	200k
CFPK/PENTA30 KIT	300k
CFPK/PENTA36 KIT	350k
CFPK/PENTA48 KIT	400k

SKU - TORPEDO BURNER	BTU
TOR-CFPK/PENTA12 KIT	65k
TOR-CFPK/PENTA18 KIT	140k
TOR-CFPK/PENTA24 KIT	225k
TOR-CFPK/PENTA30 KIT	250k
TOR-CFPK/PENTA36 KIT	350k
TOR-CFPK/PENTA48 KIT	400k

Rock 2	Glass
bags 2	30lbs
bags 2	50lbs
bags 4	80lbs
bags 4	110lbs
bags 6	150lbs
bags	250lbs

Square Flat - Uncertified Match Lit Kits

Insert Size	Burner Sz.
18" x 18" x 10-1/4"	12"
24" x 24" x 10-1/4"	18"
30" x 30" x 12-1/4"	24"
36" x 36" x 13-1/4"	30"
42" x 42" x 14-1/4"	36"

SKU-STANDARD BURNER	BTU
CFPK/PENTA12-SQ KIT	65k
CFPK/PENTA18-SQ KIT	125k
CFPK/PENTA24-SQ KIT	200k
CFPK/PENTA30-SQ KIT	300k
CFPK/PENTA36-SQ KIT	350k

SKU - TORPEDO BURNER	BTU
TOR-CFPK/PENTA12-SQ KIT	65k
TOR-CFPK/PENTA18-SQ KIT	140k
TOR-CFPK/PENTA24-SQ KIT	225k
TOR-CFPK/PENTA30-SQ KIT	250k
TOR-CFPK/PENTA36-SQ KIT	350k

Rock 2	Glass
bags 2	20lbs
bags 2	30lbs
bags 6	50lbs
bags 6	70lbs
bags	100lb

Trough - Uncertified Match Lit Kits

Insert Size	Burner Sz.
24" x 8" x 10-1/4"	24"
1/4" 36" x 8" x 10-1/4"	36"
10-1/4" 48" x 8" x 10-1/4"	48"
60" x 8" x 10-1/4"	60"
8" x 10-1/4" 72" x 8" x 10-1/4"	72"
96" x 8" x 10-1/4"	96"

SKU-TORPEDO BURNER	BTU
TOR-CFPK/TRGH24 KIT	75k
TOR-CFPK/TRGH36 KIT	115k
TOR-CFPK/TRGH48 KIT	150k
TOR-CFPK/TRGH60 KIT	175k
TOR-CFPK/TRGH72 KIT	200k
TOR-CFPK/TRGH96 KIT	300k

Rock 1	Glass
bag 2	20lbs
bags 2	30lbs
bags 2	40lbs
bags 2	50lbs
bags 2	60lbs
bags	80lbs



Interlink - Uncertified Match Lit Kits

Insert Size	Burner Sz.
25" x 8" x 10-1/4"	24"
37" x 8" x 10-1/4"	36"
49" x 8" x 10-1/4"	48"
61" x 8" x 10-1/4"	60"
73" x 8" x 10-1/4"	72"
97" x 8" x 10-1/4"	96"
121" x 8" x 10-1/4"	120"

SKU - TORPEDO BURNER	BTU
TOR-CFPK/LINEAR25x8 KIT	75k
TOR-CFPK/LINEAR37x8 KIT	115k
TOR-CFPK/LINEAR49x8 KIT	150k
TOR-CFPK/LINEAR61x8 KIT	175k
TOR-CFPK/LINEAR73x8 KIT	200k
TOR-CFPK/LINEAR97x8 KIT	300k
TOR-CFPK/LINEAR121x8 KIT	300k

Rock 1	Glass
bag 2	30lbs
bags 2	40lbs
bags 2	50lbs
bags 4	60lbs
bags 4	70lbs
bags 6	90lbs
bags	110lb

H-Burner - Uncertified Match Lit Kits

Insert Size	Burner Sz.
24" x 12" x 10-1/4"	18" x 6"
30" x 12" x 10-1/4"	24" x 6"
36" x 14" x 10-1/4"	30" x 8"
42" x 14" x 10-1/4"	36" x 8"
54" x 16" x 10-1/4"	48" x 10"
66" x 16" x 10-1/4"	60" x 10"
78" x 16" x 10-1/4"	72" x 10"
90" x 16" x 10-1/4"	84" x 10"

SKU-TORPEDO BURNER	BTU
TOR-CFPK/HBSB18 KIT	115k
TOR-CFPK/HBSB24 KIT	150k
TOR-CFPK/HBSB30 KIT	175k
TOR-CFPK/HBSB36 KIT	200k
TOR-CFPK/HBSB48 KIT	250k
TOR-CFPK/HBSB60 KIT	300k
TOR-CFPK/HBSB72 KIT	350k
TOR-CFPK/HBSB84 KIT	400k

Rock 2	Glass
bags 2	30lbs
bags 2	40 lbs
bags 2	60 lbs
bags 4	70 lbs
bags 6	90 lbs
bags 6	110 lbs
bags 8	130 lbs
bags	150 lbs

WHY CHOOSE UNCERTIFIED?

Our uncertified Match Lit kits are available as a more powerful alternative to their certified counterparts. To meet CSA certification requirements, their orifices can only be made to allow 65k BTUs to flow through them. However, many residences or commercial sites prefer the convenience of a match lit fire pit or the ease of a kit while still boasting a big, warm flame. These uncertified kits are the perfect solution--the same easy controls but with orifices allowing up to 400k BTUs.

These units include a burner, pan, valve w/ chrome flange, flex line, and fittings.



READY-TO-FINISH

Blank canvasses for your backyard overhaul . These units are designed to be tiled, painted, or stone-clad however you'd like .

Installation Considerations

Enclosure Cladding SQ FT:

- 26.6 (45" round); 34.6 (54" round)
- 30.3 (45" octagon); 39 (54" octagon)
- 34 (45" square)
- 30.6 (60" + 30" insert); 29.5 (60" + 36" insert)
- 31.3 (60" + 37" insert); 30.5 (60" + 49" insert)



BENEFITS

- StrongHardieBoard walls
- Unfinished to allow any cladding to match your space
- Custom shapes and dimensions are available upon request

FEATURES

- Pre-cut ventilation
- Pre-cut push button or match lit install holes
- Pre-cut insert space

SPECIFICATIONS

- Variable stock sizes
- 18" tall enclosure for comfortable height near seating

Need LP or 24-Volt Models?

Change "NG" to "LP" in SKU for liquid propane applications
Change "120VAC" to "24VAC" in SKU for 24-V applications

Electronic Ignition - Ready to Finish Kits

Enclosure	ShapeSize	InsertSize
Round	45" x 18"	25" bowl
Round	54" x 18"	25" bowl
Octagon	45" x 18"	25" bowl
Octagon	54" x 18"	25" bowl
Square	45" x 45" x 18"	25" bowl
Rectangle (H burner)	60" x 24" x 18"	30" x 12"
Rectangle (H burner)	60" x 24" x 18"	36" x 14"
Rectangle (Interlink)	60" x 24" x 18"	37" x 8"
Rectangle (Interlink)	60" x 24" x 18"	49" x 8"
Rectangle (Trough)	60" x 24" x 18"	36" x 8"
Rectangle (Trough)	60" x 24" x 18"	48" x 8"

SKU - STANDARD BURNER	BTU	
U45R/25SSCEK-	125k	
NG/120VAC	125k	
U54R/25SSCEK-	125k	
NG/120VAC	125k	
U45O/25SSCEK-	125k	
NG/120VAC	-	
U54O/25SSCEK-	-	
NG/120VAC	-	
U45S/25SSCEK-	-	
NG/120VAC	-	
-	-	

SKU - TORPEDO BURNER TOR-	BTU	
U45R/25SSCEK-NG/120VAC TOR-	125k	
U54R/25SSCEK-NG/120VAC TOR-	125k	
U45O/25SSCEK-NG/120VAC TOR-	125k	
U54O/25SSCEK-NG/120VAC TOR-	125k	
U45S/25SSCEK-NG/120VAC TOR-	125k	
U60X24/30X12CEK-NG/120VAC	150k	
TOR-U60X24/36X14CEK-	175k	
NG/120VAC TOR-	115k	
U60X24/37X8CEK-NG/120VAC	150k	
TOR-U60X24/49X8CEK-	115k	
NG/120VAC TOR-U60X24/36CEK-	150k	

NG/120VAC TOR-U60X24/48CEK-

NG/120VAC

SKU - TORPEDO BURNER	BTU	
TOR-U45R/FPPK25CEK-NG	90k	
TOR-U54R/FPPK25CEK-NG	90k	
TOR-U45O/FPPK25CEK-NG	90k	
TOR-U54O/FPPK25CEK-NG	90k	
TOR-U45S/FPPK25CEK-NG	90k	
TOR-U60X24/30X12FPPKCEK-NG	150k	
TOR-U60X24/36X14FPPKCEK-NG	150k	
TOR-U60X24/37X8FPPKCEK-NG	115k	
TOR-U60X24/49X8FPPKCEK-NG	150k	
TOR-U60X24/36FPPKCEK-NG	115k	
TOR-U60X24/48FPPKCEK-NG	150k	

Push Button Ignition - Ready to Finish Kits

Enclosure	ShapeSize	InsertSize
Round	45" x 18"	25" bowl
Round	54" x 18"	25" bowl
Octagon	45" x 18"	25" bowl
Octagon	54" x 18"	25" bowl
Square	45" x 45" x 18"	25" bowl
Rectangle (H burner)	60" x 24" x 18"	30" x 12"
Rectangle (H burner)	60" x 24" x 18"	36" x 14"
Rectangle (Interlink)	60" x 24" x 18"	37" x 8"
Rectangle (Interlink)	60" x 24" x 18"	49" x 8"
Rectangle (Trough)	60" x 24" x 18"	36" x 8"
Rectangle (Trough)	60" x 24" x 18"	48" x 8"

SKU - STANDARD BURNER	BTU	
U45R/FPPK25CEK-NG	90k	
U54R/FPPK25CEK-NG	90k	
U45O/FPPK25CEK-NG	90k	
U54O/FPPK25CEK-NG	90k	
U45S/FPPK25CEK-NG	90k	
-	-	
-	-	
-	-	
-	-	
-	-	
-	-	



Round Enclosure



Square Enclosure



Octagon Enclosure



Rectangle Enclosure





Need LP or 24-Volt Models?

Change "NG" to "LP" in SKU for liquid propane applications
Change "120VAC" to "24VAC" in SKU for 24-V applications

Match Lit Ignition - Ready to Finish Kits

Enclosure Shape	Size	InsertSize
Round	45" x 18"	25" bowl
Round	54" x 18"	25" bowl
Octagon	45" x 18"	25" bowl
Octagon	54" x 18"	25" bowl
Square	45" x 45" x 18"	25" bowl
Rectangle (H burner)	60" x 24" x 18"	30" x 12"
Rectangle (H burner)	60" x 24" x 18"	36" x 14"
Rectangle (Interlink)	60" x 24" x 18"	37" x 8"
Rectangle	60" x 24" x 18"	49" x 8"
Rectangle	60" x 24" x 18"	36" x 8"
Rectangle	60" x 24" x 18"	48" x 8"

SKU - STANDARD BURNER	BTU
U45R/MLFPK25CEK-NG	65k
U54R/MLFPK25CEK-NG	65k
U45O/MLFPK25CEK-NG	65k
U54O/MLFPK25CEK-NG	65k
U45S/MLFPK25CEK-NG	65k
-	-
-	-
-	-
-	-
-	-
-	-

SKU - TORPEDO BURNER	BTU
TOR-U45R/MLFPK25CEK-NG	65k
TOR-U54R/MLFPK25CEK-NG	65k
TOR-U45O/MLFPK25CEK-NG	65k
TOR-U54O/MLFPK25CEK-NG	65k
TOR-U45S/MLFPK25CEK-NG	65k
TOR-U60X24/30X12MLFPKCEK-NG	65k
TOR-U60X24/36X14MLFPKCEK-NG	65k
TOR-U60X24/37X8MLFPKCEK-NG	65k
TOR-U60X24/49X8MLFPKCEK-NG	65k
TOR-U60X24/36MLFPKCEK-NG	65k
TOR-U60X24/48MLFPKCEK-NG	65k

Push Button Ignition Small Tank Series - Ready to Finish Kits

Enclosure Shape	Size	InsertSize
Round	45" x 18"	25" bowl
Square	45" x 45" x 18"	25" bowl
Rectangle (H burner)	60" x 24" x 18"	30" x 12"
Rectangle (Interlink)	60" x 24" x 18"	37" x 8"
Rectangle (Trough)	60" x 24" x 18"	36" x 8"
Rectangle (Trough)	60" x 24" x 18"	48" x 8"

SKU - STANDARD BURNER	BTU
UST60R/FPPK25CEK-LP	90k
UST54S/FPPK25CEK-LP	90k
-	-
-	-
-	-
-	-

SKU - TORPEDO BURNER TOR-	BTU
UST60R/FPPK25CEK-LP TOR-	90k
UST54S/FPPK25CEK-LP TOR-	90k
UST70X24/36X14FPPKCEK-LP	90k
TOR-UST80X24/49X8FPPKCEK-	90k
LP TOR-UST70X24/36FPPKCEK-	90k
LP TOR-UST80X24/48FPPKCEK-	90k

LP

Match Lit Ignition Small Tank Series - Ready to Finish Kits

Enclosure Shape	Size	InsertSize
Round	45" x 18"	25" bowl
Square	45" x 45" x 18"	25" bowl
Rectangle (H burner)	60" x 24" x 18"	30" x 12"
Rectangle (Interlink)	60" x 24" x 18"	37" x 8"
Rectangle (Trough)	60" x 24" x 18"	36" x 8"
Rectangle (Trough)	60" x 24" x 18"	48" x 8"

SKU - STANDARD BURNER	BTU
UST60R/MLFPK25CEK-LP	65k
UST54S/MLFPK25CEK-LP	65k
-	-
-	-
-	-
-	-

SKU - TORPEDO BURNER	BTU
TOR-UST60R/MLFPK25CEK-LP	65k
TOR-UST54S/MLFPK25CEK-LP	65k
TOR-UST70X24/36X14MLFPKCEK-LP	65k
TOR-UST80X24/49X8MLFPKCEK-LP	65k
TOR-UST70X24/36MLFPKCEK-LP	65k
TOR-UST80X24/48MLFPKCEK-LP	65k

PRE-CUT TO FINISH

All of our LP Small Tank Series Ready-to-Finish enclosures include a cutout + door for easy propane tank access, in addition to the pre-cut key valve / push-button holes when applicable.



Frame is pre-cut for FPPK or MLFPK.



BUILT TO LAST

Ready-to-Finish enclosures are made with Hardie Board backer boards and steel bracing for durable, long-lasting construction.



OTHER KITS

Hardscape block kits and uncertified push button kits.

Installation Considerations

- Minimum of 2" clearance between bottom of insert and ground is required
- No more than two sides should be enclosed
- 48" clearance from wall to insert
- Minimum two sides ventilated
- Minimum 50% free air space within enclosure



BENEFITS

- Easy to assemble
- Includes everything you need to put a fire kit together (does not include pavers)

FEATURES

- Raised hub for water mitigation
- Weep holes for drainage

SPECIFICATIONS

- Made of #304, 18 gauge stainless steel

Uncertified Push Button Kits

Bowl Type	Insert Size 19"	Burner Sz.
Round Bowl	x 10-1/4" 25" x	12"
Round Bowl	10-1/4" 31" x	18"
Round Bowl	10-1/4" 18" x	24"
Round Flat	10-1/4" 24" x	12"
Round Flat	10-1/4" 30" x	18"
Round Flat	10-1/4" 18" x	24"
Square Flat	10-1/4" 24" x	12"
Square Flat	10-1/4" 30" x	18"
Square Flat	10-1/4"	24"

SKU - STANDARD BURNER	BTU	
PENTA19FPK-NG	90k	
PENTA25FPK-NG	150k	
PENTA31FPK-NG	150k	
PENTA18FPK-NG	90k	
PENTA24FPK-NG	150k	
PENTA30FPK-NG	150k	
PENTA18FPK-SQ-NG	90k	
PENTA24FPK-SQ-NG	150k	
PENTA30FPK-SQ-NG	150k	

SKU - TORPEDO BURNER	BTU	
TOR-PENTA19FPK-NG	90k	
TOR-PENTA25FPK-NG	150k	
TOR-PENTA31FPK-NG	150k	
TOR-PENTA18FPK-NG	90k	
TOR-PENTA24FPK-NG	150k	
TOR-PENTA30FPK-NG	150k	
TOR-PENTA18FPK-SQ-NG	90k	
TOR-PENTA24FPK-SQ-NG	150k	
TOR-PENTA30FPK-SQ-NG	150k	

Uncertified Push Button Kits include: pan, burner, push button ignition switch and igniter, chrome decorative key valve, fittings, and flex line. **Natural gas only, not CSA certified.**

Match Lit Ignition - Hardscape Block Kits

Bowl Type	Insert Size
Round	8" x 10-1/4"
Flat	14" x 10-1/4"
Round	18" x 10-1/4"
Flat	24" x 10-1/4"
Round	30" x 10-1/4"
Flat	18" x 18" x 10-1/4"
Round	24" x 24" x 10-1/4"
Flat	30" x 30" x 10-1/4"
Round	24" x 12" x 10-1/4"
Flat	30" x 12" x 10-1/4"
Square	36" x 14" x 10-1/4"
Flat	25" x 8" x 10-1/4"
Square	37" x 8" x 10-1/4"
Flat	49" x 8" x 10-1/4"

SKU - STANDARD BURNER	
BLOCK-MLFPK8-FLEX-NG	
BLOCK-PENTA14 MLFPK-FLEX-NG	
BLOCK-PENTA18 MLFPK-FLEX-NG	
BLOCK-PENTA24 MLFPK-FLEX-NG	
BLOCK-PENTA30 MLFPK-FLEX-NG	
BLOCK-MLFPK18SQ-FLEX-NG	
BLOCK-MLFPK24SQ-FLEX-NG	
BLOCK-MLFPK30SQ-FLEX-NG	
-	
-	
-	
-	
-	
-	

SKU - TORPEDO BURNER	
-	
-	
-	
-	
-	
-	
-	
- TOR-BLOCK-MLFPK24X12-H-FLEX-NG	
TOR-BLOCK-MLFPK30X12-H-FLEX-NG	
TOR-BLOCK-MLFPK36X14-H-FLEX-NG	
TOR-BLOCK-MLFPK25X8-L-FLEX-NG	
TOR-BLOCK-MLFPK37X8-L-FLEX-NG	
TOR-BLOCK-MLFPK49X8-L-FLEX-NG	

Push Button Ignition - Hardscape Block Kits

Bowl Type	Insert Size
Burner H- Round	14" x 10-1/4"
Burner H- Flat	18" x 10-1/4"
Burner H- Round	24" x 10-1/4"
Interlink Flat	30" x 10-1/4"
Interlink Round	36" x 10-1/4"
Interlink Flat	18" x 18" x 10-1/4"
Round	24" x 24" x 10-1/4"
Flat	30" x 30" x 10-1/4"
Round	36" x 36" x 10-1/4"
Flat	24" x 12" x 10-1/4"
Square	30" x 12" x 10-1/4"
Flat	36" x 14" x 10-1/4"
Square	42" x 14" x 10-1/4"
Flat	54" x 16" x 10-1/4"
Square	25" x 8" x 10-1/4"
Flat	37" x 8" x 10-1/4"
Square	49" x 8" x 10-1/4"
Flat H-	61" x 8" x 10-1/4"
Burner H-	73" x 8" x 10-1/4"
Burner H-	97" x 8" x 10-1/4"

SKU - STANDARD BURNER	
BLOCK-FPPK14-FLEX-NG	
BLOCK-PENTA18FPPK-FLEX-NG	
BLOCK-PENTA24FPPK-FLEX-NG	
BLOCK-PENTA30FPPK-FLEX-NG	
BLOCK-PENTA36FPPK-FLEX-NG	
BLOCK-FPPK18-SQ-FLEX-NG	
BLOCK-FPPK24-SQ-FLEX-NG	
BLOCK-FPPK30-SQ-FLEX-NG	
BLOCK-FPPK36-SQ-FLEX-NG	
-	
-	
-	
-	
-	
-	
-	
-	
-	
-	
-	

SKU - TORPEDO BURNER	
-	
-	
-	
-	
-	
-	
-	
- TOR-BLOCK-FPPK24X12-H-FLEX-NG	
TOR-BLOCK-FPPK30X12-H-FLEX-NG	
TOR-BLOCK-FPPK36X14-H-FLEX-NG	
TOR-BLOCK-FPPK42X14-H-FLEX-NG	
TOR-BLOCK-FPPK54X16-H-FLEX-NG	
TOR-BLOCK-FPPK25X8-L-FLEX-NG TOR-	
BLOCK-FPPK37X8-L-FLEX-NG TOR-	
BLOCK-FPPK49X8-L-FLEX-NG TOR-	
BLOCK-FPPK61X8-L-FLEX-NG TOR-	
BLOCK-FPPK73X8-L-FLEX-NG TOR-	
BLOCK-FPPK97X8-L-FLEX-NG	

Hardscape block kits include: fire pit insert, flex form collars (44" x 6.2"), 2x vents (9" x 4"), SSC24 flex line (24"), and lava rock. **Pavers are not included.**


SCAN FOR INSTRUCTIONS AND DRAWINGS
<https://www.hardscape.com/product-references/>



Install Confidence™

FIRE PIT MEDIA

Media enhances the overall appearance of your fire feature by making it look more natural, stylized, or by making the flames stand out more .



Fire Logs

Style	Size	Pieces
Arizona Weathered	12"-18"	9
Oak Arizona	14"-18"	16
Weathered Oak	11"-18"	9
Aspen Birch	13"-18"	16
Aspen Birch	10"-18"	9
Western Driftwood	10"-21"	6

Western Driftwood

SKU	
FPL18/24AW09	
FPL30/36AW016	
FPL18/24AB9	
FPL30/36AB16	
FPL18/24WD9	
FPL30/36WD16	



ARIZONA WEATHERED OAK



ASPEN BIRCH



WESTERN DRIFTWOOD

Lava & Ceramic Rock

Style	Size	Color
Lava Rock	1"-2"	Black
Rolled Lava	1"-2"	Black
Stone Rolled	2.5"-4.5"	Black
Lava Stone	2.5"-4.5"	Black
Ceramic River	2.5"-4.5"	Multicol

Rock Ceramic

or

River Rock

SKU	
657	
857S	
857M	
FPR84MC	
FPR84BL	



LAVA ROCK



ROLLED LAVA STONE



CERAMIC RIVER ROCK (BLACK)




CERAMIC RIVER ROCK (MULTICOLOR)

Fire Glass

Color	SKU	
Cobalt Blue	FPGLCOBALTBLUE	
Pacific Blue	FPGLPACIFICBLUE	
Pacific Blue (reflective)	FPGLPACBLUEREFL	
Black	FPGLBLACK	
Clear	FPGLCLEAR	
Starfire	FPGLSTARFIRE	
Gray (reflective)	FPGLGRAYREFLEC	
Copper	FPGLCOPPER	
Black (reflective)	FPGLBLACKREFL	
Bronze	FPGLBRONZE	

NOTE: Fire glass is priced per lb, but sold only in 10lb increments.



FIRE PIT COVERS

Fire pit covers help protect your fire pit against the elements and can provide an elevated aesthetic appeal .

Installation Considerations

- Consider the weather that your fire pit will need protection against, the size you will need, and what will best match your environment



BENEFITS

-Excellent weather mitigation to protect fire pit.

FEATURES

-Handles and straps where applicable. Various sizes and custom options available.

SPECIFICATIONS

-Made of black or grey vinyl, stainless steel, copper, or powder-coat aluminum.

Aluminum Covers

Style	Size	Height	Weight
Copper Vein	24"	1"	6lbs
Copper Vein	36"	1"	13lbs
Copper Vein	48"	1"	23.5lb
Copper Vein	32"	10"	s
(tall) Copper	44"	14"	15lbs
Vein (tall)	24"	1"	20lbs
Black	36"	1"	6lbs
Black	48"	1"	13lbs
Black	32"	10"	23.5lb
Black (tall)	44"	14"	s

SKU	
FPHC-24C	
FPHC-36C	
FPHC-48C	
FPHC-32C	
FPHC-44C	
FPHC-24BL	
FPHC-36BL	
FPHC-48BL	
FPHC-32BL	
FPHC-44BL	



Aluminum Covers
(Copper Vein Tall & Black)

Copper Bowl Covers

Style	Size	Height	Weight
Mesa / 26" Tempe	19"	8.5"	7.5lbs
Tempe	32"	5.75"	15lbs
Sierra	26" x	7"	13lbs
Sedona	26" 30"	7"	13.5lb

SKU	
FPHC-26TEMP/32MESA	
FPHC-31TEMPE	
FPHC-36SIERRA-SQ	
FPHC-40SEDONA-SQ	



Sierra Cover

Stainless Steel Covers

Style	Size	Handles #	Weight
Brushe	28" x 9.5"	1	11lbs
d	28" x 16"	1	16lbs
Brushe	34" x 16"	1	18lbs
d	40" x 9.5"	1	13lbs
Brushe	40" x 18"	1	20lbs
d	46" x 18"	2	22lbs
Brushe	52" x 9.5"	2	15lbs
d	58" x 20"	2	28lbs
Brushe	64" x 9.5"	2	18lbs

SKU	TPHC-
24SS	HPHC-
24X12SS	
HPHC-	
30X12SS	
TPHC-36SS	
HPHC-	
36X14SS	
HPHC-	
42X14SS	



Rectangular SS Cover

Nyl Covers

Style	Fits	Enclosures
Round	23" ~ 35"	
Round	30" ~ 45"	
Round	35" ~ 53"	
Round	43" ~ 64"	
Round	60" ~ 76"	
Square	36" ~ 48"	
Square	45" ~ 60"	
Rectangle	34x20" ~ 44x30"	
Rectangle	52x20" ~ 62x30"	
Rectangle	68x30" ~ 78x40"	
Rectangle	80x30" ~ 90x40"	
Rectangle	84x20" ~ 94x30"	
Rectangle	92x30" ~	
Rectangle	102x40" 104x30"	
Rectangle	~ 114x40"	
Evolution360 / H20nfire	120x20" ~	
Evolution360 / H20nfire	130x30" Basin	
LP Small Tank	Bowl	
TK Torch Head Cover	-	

SKU	
54X16SS	
FPC-35 FPC-	
TPHC-60SS	
45 FPC-53	
FPC-64 FPC-	
76 FPC-48SQ	
FPC-60SQ	
FPC-44X30	
FPC-62X30	
FPC-78X40	
FPC-90X40	
FPC-94X30	
FPC-102X40	
FPC-114X40	
FPC-130X30	
FPC-84WB	
FPC-35 ST-	
COVER FPC-	
TK TORCH	



Round Cover



Square Cover



Evo360 Bowl and
Basin Cover



Small Tank Cover

WIND GUARDS

HPC offers wind guards to help protect your flames from the wind and prevent the interference of debris .

Installation Considerations

-Consider the size of wind guard you will need . Wind guards can be combined with kits to accommodate atypically sized fire pits.



BENEFITS

- Easy installation using clips to support tempered glass
- Heat resistant glass

FEATURES

- Wind guard extension kits available to accommodate atypical fire pit sizes

SPECIFICATIONS

- Heavy duty 3/16" clear tempered glass
- Polished aluminum brackets
- Rubber feet

Glass Wind Guards

Shape	Size	SKU	
Round	23" x 6"	WG23-RD	
Round	30" x 6"	WG30-RD	
Round	38" x 6"	WG38-RD	
Round	48" x 6"	WG48-RD	
Square	25" x 25" x 6"	WG25-SQ	
Square	31" x 31" x 6"	WG31-SQ	
Square	37" x 37" x 6"	WG37-SQ	
Square	43" x 43" x 6"	WG43-SQ	
Square	49" x 49" x 6"	WG49-SQ	
Rectangle	31" x 19" x 6"	WG31X19-RECT	
Rectangle	37" x 19" x 6"	WG37X19-RECT	
Rectangle	43" x 21" x 6"	WG43X21-RECT	
Rectangle	49" x 21" x 6"	WG49X21-RECT	
Rectangle	61" x 23" x 6"	WG61X23-RECT	
Linear	31" x 15" x 6"	WG31X15-L	
Linear	43" x 15" x 6"	WG43X15-L	
Linear	55" x 15" x 6"	WG55X15-L	
Linear	67" x 15" x 6"	WG67X15-L	

HIGH QUALITY PROTECTION

HPC provides high quality glass wind guards specially designed to complement our fire pits and provide additional safety against the active flames. Available in round, square, and rectangular configurations, and made from durable tempered glass, our wind guards are guaranteed long-lasting and heat resistant. Wind guards reduce flame disturbance caused by the wind and prevent loose items from getting too close to the flames.

NOTE: wind guards are designed to prevent accidental interaction with a live flame. They will get hot to the touch and can burn skin if touched.



Round



Square



Linear



Rectangle

Wind Guard Components

Component	Description
Replacement Clip	Chrome clip for round wind guards.
Replacement Clip (Square)	Chrome clip for square & rectangular wind guards.
Replacement Foot	Replacement rubber foot for round wind guards.
Replacement Foot (Square)	Replacement rubber foot for square & rectangular wind guards.
Extension Kit	Complete extension kit: 4 chrome clips and 4 extension glass supports with rubber foot.
Replacement Extension Support	Replacement extension glass support with rubber foot.
Replacement Extension Clip	Replacement chrome extension straight clip for square & rectangular wind guards.

SKU	MSRP
WG-CC-RD	\$12.0
WG-CC-SQ/RECT	9
WG-RUBBER FOOT-RD	\$12.0
WG-RUBBER FOOT-SQ/RECT	9
WG-EXT/STR KIT	\$6.44
WG-EGS	\$6.44
WG-SC	\$91.2



WG-SC



WG-RUBBER FOOT-SQ/RECT




WG-CC-SQ/RECT



WG-EGS

EXTENDING WIND GUARDS

Square and rectangular wind guards can be extended to support fire pits with atypical dimensions. By using WG-EXT/STR KIT, one can combine additional glass panels with a base wind guard kit and protect the full insert. See right for example of an installed extension kit.




COMPONENTS



Deck Installation Kit

SKU	FPI-	MSRP
DECK20SQ		\$24.7
FPI-		1

This kit is needed when installing a gas fire pit on a wood or composite deck. It provides flame and excess heat protection around input flex line connection(s). The basalt insulation is for inside the fire pit enclosure or bowl and should be placed over a layer of paver blocks (1" min. thickness). Incoming gas stub must protrude through the deck, paver blocks and insulation for fire pit flex line connection. Kit includes basalt insulation and instructions- basalt insulation measures 39.3" x 39.3" (1 sq. meter)- larger fire pits will require more pieces. The insulation is easily cut with utility knife.



Paver Block Bracket - Match Lit Ignition

SKU	MSRP
KVMB-PB	\$128.09

Designed for the Dante Valve, this bracket allows flexibility and installation ease of the MLFPK decorative key valve. The face plate is adjustable from 8" to 12" width accommodating most pavers. The valve is securely mounted to bracket using decorative flange. (8-12"W x 3.875H x 5"D)



Replacement Remote Small Tank Kit - Liquid Propane

SKU	MSRP
STLPK	\$145.08

This kit is for use with CSA certified FPPK and MLFPK fire pit models less than 90k Btu- see fire pit insert section for approved models. The kits includes a 90-degree regulator with 72" hose, 24" Flex Line, small tank L-Bracket and fittings for FPPK or MLFPK connection.

Spark Igniter Kit - Match Lit Ignition

SKU	MSRP
SIK36	\$58.9

Easily installed match-lit igniter kit. Produces a battery-activated spark to ignite the gas.

2

Flex Form Install Collar

SKU	MSRP
IC44SS-FF	\$375.39

The flex form installation collar merges the gap between the fire pit structure and the insert pan for easy installation. This flexible install collar allows for an easy 3 step installation, saving you time with our one size fits all product. The collar can be formed to fit any shaped fire pit and offers an auto centering feature with a curved lip. 2 per carton; 44" x 6.2".

Step 1



Place the collar

Step 2



Install the collar

Step 3



Install the insert

Regulators

SKU	770-	Description
150	770-	150k BTU pressure regulator (5psi NG; 2psi LP; 1/2" x 1/2",
300		4"-12" WC) 300k BTU pressure regulator (5psi NG; 2psi LP; 1" x
658	770-	1", 4" - 12" WC) 100k BTU LP pressure regulator (3/8" x 3/8",
13A15	770-	4"-12" WC)
13A15-5		MAXITROL vent protector with 1/8" inlet made for 770-150



770-150

Grill Repair Regulators & Hoses

SKU	Description
658/90-18	18" Rubber Hose; 90 degree regulator ; 100k BTU; 3/8" fitting
658/90-36	36" rubber hose; 90 degree regulator; 100k BTU; 3/8" fitting
658SS/90-	36" braided SS hose; 90 degree regulator; 100k BTU; 3/8" fitting



658SS/90-36

Quick Disconnects and Outlets

SKU	Description
580	144" x 3/8" quick disconnect assembly
580-1	144" x 3/8" quick disconnect (male only)
580-	Female quick disconnect fitting
V	Appliance Outlet



580

Flex Lines

SKU	MSRP	Length	BTU/HR - NG	BTU/HR - LP	Flare Size	Fittings	Description
SSC6	\$20.64	6"	110k	177k	1/2"	3/8" MIP; 1/2" FIP	Standard Capacity
SSC12	\$20.93	12"	102k	163.2k	1/2"	3/8" MIP; 1/2" FIP	Standard Capacity
SSC18	\$21.48	18"	93k	148.96k	1/2"	3/8" MIP; 1/2" FIP	Standard Capacity
SSC24	\$25.73	24"	85k	136k	1/2"	3/8" MIP; 1/2" FIP	Standard Capacity
SSC30	\$28.74	30"	77k	123.36k	1/2"	3/8" MIP; 1/2" FIP	Standard Capacity
SSC36	\$32.50	36"	71k	113.76k	1/2"	3/8" MIP; 1/2" FIP	Standard Capacity
SSC48	\$35.70	48"	60.5k	96.8k	1/2"	3/8" MIP; 1/2" FIP	Standard Capacity
SSC-HC12	\$24.41	12" (HC)	180k	288k	3/4"	1/2" MIP; 1/2" FIP	High Capacity
SSC-HC18	\$29.00	18" (HC)	164k	262.7k	3/4"	1/2" MIP; 1/2" FIP	High Capacity
SSC-HC24	\$34.11	24" (HC)	150k	240k	3/4"	1/2" MIP; 1/2" FIP	High Capacity
SSC-HC30	\$38.65	30" (HC)	136k	217.6k	3/4"	1/2" MIP; 1/2" FIP	High Capacity
SSC-HHC24	\$74.61	24" (HC)	291k	465.4k	1"	3/4" MIP; 3/4" FIP	Ultra High Capacity
SSC-HHC36	\$113.3	36" (HC)	256k	409.4k	1"	3/4" MIP; 3/4" FIP	Ultra High Capacity
SSC-W12	3	12"	102k	163.2k	1/2"	3/8" MIP; 1/2" FIP	Tranquil Whistle-Free
SSC-W18	\$22.25	18"	93k	148.96k	1/2"	3/8" MIP; 1/2" FIP	Tranquil Whistle-Free
SSC-W24	\$30.33	24"	85k	136k	1/2"	3/8" MIP; 1/2" FIP	Tranquil Whistle-Free
SSC-W30	\$34.88	30"	77k	123.36k	1/2"	3/8" MIP; 1/2" FIP	Tranquil Whistle-Free
SSCB-W18	\$43.99	18"	93k	148.96k	1/2"	3/8" MIP; 1/2" FIP	Black. Tranquil Whistle-Free, Standard Capacity
SSCB-W24	\$40.29	24"	85k	136k	1/2"	3/8" MIP; 1/2" FIP	Black. Tranquil Whistle-Free, Standard Capacity
SSCB-W30	\$43.99	30"	77k	123.36k	1/2"	3/8" MIP; 1/2" FIP	Black. Tranquil Whistle-Free, Standard Capacity

Fire Pit Pans - Round Bowl - Requires FRSB-11

SKU	570-	Size	Inlet	# of FRSB-11
13	570-19	13"	1/2"	3
	570-25	19"	1/2"	3
	570-31	25"	1/2"	3
	570-31HC	31"	1/2"	3
	570-37HC	31" (HC)	3/4"	3
	570-43HC	37" (HC)	3/4"	3
		43" (HC)	3/4"	3

Fire Pit Pans - Round Flat - Requires FRSB-11

SKU	571-	Size	Inlet	# of FRSB-11
8	571-14	7.75"	1/2"	3
	571-18	13.75"	1/2"	3
	571-24	17.75"	1/2"	3
	571-30	23.75"	1/2"	3
	571-36	29.75"	1/2"	3
	571-36HC	35.75"	1/2"	3
	571-42HC	35.75" (HC)	3/4"	3
	571-54HC	41.75" (HC)	3/4"	3
		53.75" (HC)	3/4"	3

Fire Pit Pans - Square Bowl - Requires FRSB-11

SKU	570-		Size	Inlet	# ofFRSB-11
18SQ	570-		18"	1/2"	3
24SQ	570-		24"	1/2"	3
30SQ	570-		30"	1/2"	3
36HCSQ	570-		36"	3/4"	3
42HCSQ			42"	3/4"	3

Fire Pit Pans - Square Flat - Requires FRSB-11

SKU	571-		Size	Inlet	# of FRSB-11
18SQ	571-		18"	1/2"	3
24SQ	571-		24"	1/2"	3
30SQ	571-		30"	1/2"	3
36HCSQ			36"	3/4"	3
571-42HCSQ			42"	3/4"	3

Burners - Penta

SKU	PENTA12		Size	BTU	Inlet
KIT	PENTA18		12"	65k	1/2"
KIT	PENTA24		18"	125k	1/2"
KIT	PENTA30		24"	200k	1/2"
KIT	PENTA36		30"	250k	3/4"
KIT	PENTA48		36"	300k	3/4"
KIT			48"	300k	3/4"

SKU	Bulk Quantity (5% off)
PENTA12	10
PENTA18	10
PENTA24	10
PENTA30	5
PENTA36	5
PENTA48	5



Burners - Torpedo Penta

SKU		Size	BTU	Inlet
TOR-PENTA12	KIT	12"	100k	1/2"
TOR-PENTA18	KIT	18"	175k	1/2"
TOR-PENTA24	KIT	24"	250k	1/2"
TOR-PENTA30	KIT	30"	300k	3/4"
TOR-PENTA36	KIT	36"	350k	3/4"
TOR-PENTA48	KIT	48"	350k	3/4"

SKU	Bulk Quantity (5% off)
TOR-PENTA12	10
TOR-PENTA18	10
TOR-PENTA24	10
TOR-PENTA30	5
TOR-PENTA36	5
TOR-PENTA48	5



Burners - Round

SKU		Size	BTU	Inlet
FRS-6 KIT	FRS-	6"	60k	1/2"
12 KIT	FRS-18	12"	90k	1/2"
KIT	FRS-24	18"	150k	1/2"
FRS-24HC	KIT	24"	150k	1/2"
FRS-30 KIT	FRS-	24"	300k	3/4"
30HC KIT	FRS-	(HC)	300k	1/2"
36HC KIT	FRS-	30"	300k	3/4"
48HC KIT		30"	300k	3/4"
		(HC)	300k	3/4"

SKU	FRS6	Bulk Quantity (5% off)
FRS12		10
FRS18		10
FRS24		10
FRS24HC		10
FRS30		10
FRS30HC		5
FRS36HC		5
FRS48HC		5
		5



Burners - Square

SKU		Size	BTU	Inlet
FRSSQ-12	KIT	12"	90k	1/2"
FRSSQ-18	KIT	18"	150k	1/2"
FRSSQ-24	KIT	24"	150k	1/2"
FRSSQ-36HC		36"	300k	3/4"
KIT	FRSSQ-	48"	300k	3/4"

SKU	Bulk Quantity (5% off)
FRSSQ12	10
FRSSQ18	10
FRSSQ24	10
FRSSQ36H	5
C	5



Burners - Rectangle

SKU		Size	BTU	Inlet
FRSR-12X6	KIT	12"x 6"	90k	1/2"
FRSR-18X9	KIT	18"x 9"	150k	1/2"
FRSR-24X12	KIT	24"x 12"	150k	1/2"
FRSR-36X18	KIT	36"x 18"	200k	1/2"
FRSR-48X24HC	KIT	48"x 24"	300k	3/4"

SKU	Bulk Quantity (5% off)
FRSR12X6	10
FRSR18X9	10
FRSR24X12	10
FRSR36X18	5
FRSR48X24H	5



Fire Pit Burners - For LP parts, add "LP" after burner size in SKU. Example: PENTA12LP KIT

Burners - Linear

SKU		Size	BTU	Inlet
TOR-LTBSS24 KIT		24"	100k	1/2"
TOR-LTBSS36 KIT		36"	125k	1/2"
TOR-LTBSS48 KIT		48"	150k	1/2"
TOR-LTBSS60 KIT		60"	175k	1/2"
TOR-LTBSS72 KIT		72"	200k	1/2"
TOR-LTBSS96 KIT		96"	250k	1/2"
TOR-LTBSS120		120	300k	1/2"

SKU	TOR-	Bulk Quantity (5% off)
LTBSS24	TOR-	10
LTBSS36	TOR-	10
LTBSS48	TOR-	10
LTBSS60	TOR-	10
LTBSS72	TOR-	10
LTBSS96	TOR-	5
LTBSS120		5



Burners - H-Burner

SKU	TOR-	Size	BTU	Inlet
HBSB18 KIT TOR-		18"x 6"	125k	1/2"
HBSB24 KIT TOR-		24"x 6"	150k	1/2"
HBSB30 KIT TOR-		30"x 8"	175k	1/2"
HBSB36 KIT TOR-		36"x 8"	200k	1/2"
HBSB48 KIT TOR-		48"x 10"	250k	1/2"
HBSB60 KIT TOR-		60"x 10"	300k	1/2"
HBSB72 KIT TOR-		72"x 10"	300k	1/2"
HBSB84 KIT		84"x 10"	300k	1/2"

SKU	TOR-	Bulk Quantity (5% off)
HBSB18		10
TOR-		10
HBSB24		10
TOR-		10
HBSB30		10
TOR-		10
HBSB36		10
TOR-		10



Pans and Burner - Interlink

SKU	TOR-	Size	BTU	Inlet
IL25X8SS TOR-		25"X 8"	100k	1/2"
IL37X8SS TOR-		37"X 8"	125k	1/2"
IL49X8SS TOR-		49"X 8"	150k	1/2"
IL61X8SS TOR-		61"X 8"	175k	1/2"
IL73X8SS TOR-		73"X 8"	200k	1/2"
IL97X8SS TOR-		97"X 8"	250k	1/2"
IL121X8SS		121"X	300k	1/2"

HBSB48
TOR-
HBSB60
TOR-
HBSB72
TOR-
HBSB84



Pans and Burners - Trough

SKU		Size	BTU	Inlet
TOR-24SS TRGH		24"	100k	1/2"
TOR-36SS TRGH		36"	125k	1/2"
TOR-48SS TRGH		48"	150k	1/2"
TOR-60SS TRGH		60"	175k	1/2"
TOR-72SS TRGH		72"	200k	1/2"
TOR-96SS TRGH		96"	250k	1/2"



Pans and Burners - H-Burner

SKU	TOR-	Size	BTU	Inlet
24X12SS-H TOR-		24" x 12"	125k	1/2"
30X12SS-H TOR-		30" x 12"	150k	1/2"
36X14SS-H TOR-		36" x 14"	175k	1/2"
42X14SS-H TOR-		42" x 14"	200k	1/2"
54X16SS-H TOR-		54" x 16"	250k	1/2"
66X16SS-H TOR-		66" x 16"	300k	1/2"
78X16SS-H TOR-		78" x 16"	300k	1/2"
90X16SS-H		90" x 16"	300k	1/2"



Fire Pit Pans - For LP parts, add "LP" after burner size in SKU. Example: PENTA12LP KIT

Flame Control Systems - Decorative Key Valves

SKU		Finish	Valve	Inlet / Outlet
MACB		Chrome	Angle	1/2"
MACB-HC		Chrome	Angle	3/4"
MSCB		Chrome	Straight	1/2"
MSCB-HC		Chrome	Straight	3/4"
MABB		Brass	Angle	1/2"
MABB-HC		Brass	Angle	3/4"
MSBB		Brass	Straight	1/2"
MSBB-HC		Brass	Straight	3/4"
MAFB		Flat Black	Angle	1/4"
MAFB-HC		Flat Black	Angle	3/4"
MSFB		Flat Black	Straight	1/2"
MSFB-HC		Flat Black	Straight	3/4"
MAPW		Pewter	Angle	1/2"
MAPW-HC		Pewter	Angle	3/4"
MSPW		Pewter	Straight	1/2"
MSPW-HC		Pewter	Straight	3/4"
MAAB		Antique Brass	Angle	1/2"
MAAB-HC		Antique Brass	Angle	3/4"
MSAB		Antique Brass	Straight	1/2"
MSAB-HC		Antique Brass	Straight	3/4"
MAAC		Antique Copper	Angle	1/2"
MAAC-HC		Antique Copper	Angle	3/4"
MSAC		Antique Copper	Straight	1/2"
MSAC-HC		Antique Copper	Straight	3/4"



Flame Control Systems - Flange & Key

SKU		Finish
UDFK-PC		Chrome
UDFK-PB		Brass
UDFK-FB		Flat Black
UDFK-PW		Pewter
UDFK-AB		Antique Brass
UDFK-AC		Antique Copper

Flame Control Systems - Key Only

SKU	305-	Finish	Keys
U	317-8C	Chrome	3"
	317-12C	Chrome	8"
	317-18C	Chrome	12"
	317-24C	Chrome	18"
	307-U	Chrome	24"
	317-8B	Brass	3"
	317-12B	Brass	8"
	317-18B	Brass	12"
	317-24B	Brass	18"
	317-3UFB	Brass	24"
	317-8FB	Flat Black	3"
	317-	Flat Black	8"
	3UPW	Pewter	3"
	317-8PW	Pewter	8"
	317-3UAB	Antique Brass	3"
	317-8AB	Antique Brass	8"
	317-3UAC	Antique Copper	3"
	317-8AC	Antique Copper	8"

Flame Control Systems - Flange Only

SKU		Finish
304L		Chrome
306L		Brass

Flame Control Systems - FPPK Control Systems

SKU		BTU
FPPK-NG		140k

This system utilizes a standing pilot (36" assembly) with thermocouple . Has flame sensing technology to safely manage the flame and gas flow . Offers manual flame height adjustment, manual switch spark igniter (battery operated), and a safety pilot valve mounted in a stainless steel box . Includes blowout box, flex line, hard pipe, and fittings.



Size: 7.5"x6.5"x2.6"

Commercial Automatic Shutoff Timers - 120VAC

SKU		Max Time	Description
694		2 hours	Stainless steel rotary timer (SPDT, 20A). 1/2" deep, double gang box
695		12 hours	recommended. Stainless steel rotary timer (SPDT, 20A). 1/2" deep, double
694 NEMA		2 hours	gang box recommended. NEMA 3R box kit including 694 timer + box.
695 NEMA		12 hours	NEMA 3R box kit including 695 timer + box.



Log Lighter Burner

SKU		Size	Gas Type
SS17N		17"	NG
SS17P		17"	LP



Small LP Tank Conversion Kit

SKU		BTU	Description
FPLP40		40k	Includes regulator, air mixer, 12' hose with quick disconnect, shut off valve, and fittings. Min. burner size: 12"
FPLP90		90k	(48" t-burner) Includes regulator, air mixer, 12' hose with quick disconnect, shut off valve, and fittings. Min.

burner size: 12" (48" t-burner)

Electronic Ignition Series Components

SKU		Model	Description
312-SNI-24V		HI/LO & On/Off	Silicon nitride igniter - 36"
311-T/C		HI/LO & On/Off	Thermocouple - 36"
312-EIMOD		HI/LO & On/Off	Electronic Module
576-75VA		HI/LO & On/Off	Transformer
HSIP-36SS HSIP-		HI/LO & On/Off	Replacement pilot assembly: 50k-275k BTU. Natural gas application. 36"
36SS-300NG HSIP-		HI/LO & On/Off	Replacement pilot assembly: 300k BTU. Natural gas application. 36"
36SS-400NG HSIP-		HI/LO & On/Off	Replacement pilot assembly: 400k BTU. Natural gas application. 36"
36SS-50/225LP HSIP-		HI/LO & On/Off	Replacement pilot assembly: 50k-275k BTU. Liquid propane application. 36"
36SS-250/400LP 311-		HI/LO & On/Off	Replacement pilot assembly: 250k-400k BTU. Liquid propane application. 36"
ESTOP-3 E-STOP-KEY		HI/LO & On/Off	Push-button emergency shutoff. Keyed reset turns off up to 3 circuits plus one failsafe function. 600VA, 10A, rated IP65.
311-PS1		HI/LO & On/Off	Replacement key for 311-ESTOP-3
311-PS3		HI/LO & On/Off	Power supply: 24VAC, 1 output. Input primary: 120VAC, 60/50Hz, 1A max. Output secondary: 24VAC & 12VAC, 60/50Hz, 4A.
311-PS5		HI/LO & On/Off	Power supply: 24VAC, 3 outputs. Input primary: 120VAC, 60/50Hz, 1A max. Output secondary: 24VAC & 12VAC, 60/50Hz, 4A.
313-PS1		HI/LO & On/Off	Power supply: 24VAC, 5 outputs. Input primary: 120VAC, 60/50Hz, 1A max. Output secondary: 24VAC & 12VAC, 60/50Hz, 4A.
313-PS3		HI/LO & On/Off	Power supply: 12VAC, 1 output. Input primary: 120VAC, 60/50Hz, 1A max. Output secondary: 24VAC & 12VAC, 60/50Hz, 4A.
313-PS5		HI/LO & On/Off	Power supply: 12VAC, 3 outputs. Input primary: 120VAC, 60/50Hz, 1A max. Output secondary: 24VAC & 12VAC, 60/50Hz, 4A.
576-40VA		HI/LO & On/Off	Power supply: 12VAC, 5 outputs. Input primary: 120VAC, 60/50Hz, 1A max. Output secondary: 24VAC & 12VAC, 60/50Hz, 4A.
210-EI415 312-		HI/LO & On/Off	24VAC transformer. 40VA.
REMOTE		HI/LO & On/Off	Honeywell 415k valve.
312-W/T 312-		HI/LO	Handheld remote.
ANTENNA		HI/LO	Remote transceiver.
312-AB		HI/LO	Antenna.
AEK-60HI/LOW		HI/LO	Antenna bracket.
754-GV HI/LO		HI/LO	Antenna extension cable - 60"
754-GV ON/OFF		HI/LO	Replacement HI/LO gas valve.
578-C		On/Off	Replacement on/off gas valve.
		On/Off	Remote control.

FPK Series Components

SKU		Description
FPK		Spark generator, ignition, mounting plate, battery.
690-AA		AA spark igniter. Mounts with two screws, includes batteries. Dual ignition outlets. Replaces #690
691AA-HPC		AA spark igniter. Screw-in cap holds unit in place.
131		Electrode to use with spark igniter, part #130.



Push Button Ignition Series Components

SKU	Description
109-HC	FPPK replacement valve.
691AA-HPC	Igniter switch.
FPPK-	36" pilot tube, T/C. Natural gas
P36NG	application. 36" pilot tube, T/C. Natural
FPPK-	gas application. Blowout box.
P36LP	Black knob.
598HWI	Valve face plate nut (for 108-C valve)
111	Igniter wire.

Accessory Chart

	Vinyl Covers	Outdoor Logs	Wind Guards	Install Collars	Lava Rock / Stone	Glass (lbs)	River Rock (boxes)
Size	pg. 62	pg. 60	pg. 64	pg. 67	pg. 60	pg. 60	pg. 60

ROUND BOWL INSERTS (pg. 10)

13	FPC-35	FPL18xx	WG23-RD	1 Box	1 Bag 2	20	1
"	FPC-45	FPL18xx	WG30-RD	1 Box	Bags 2	40	1
19	FPC-45	FPL18xx	WG30-RD	1 Box	Bags 2	60	2
"	FPC-53	FPL18xx	WG38-RD	1 Box	Bags 4	90	3
25	FPC-53	FPL30xx	WG48-RD	2 Boxes	Bags 4	120	4
"	FPC-64	FPL30xx	WG48-RD	2 Boxes	Bags	160	5

ROUND FLAT INSERTS (pg. 14)

14"	FPC-35	FPL18xx	WG23-RD	1 Box	1 Bag 2	30	1
18"	FPC-45	FPL18xx	WG23-RD	1 Box	Bags 2	30	1
24"	FPC-45	FPL18xx	WG30-RD	1 Box	Bags 2	50	2
30"	FPC-53	FPL18xx	WG38-RD	2 Boxes	Bags 4	80	3
36"	FPC-53	FPL30xx	WG38-RD	2 Boxes	Bags 4	110	4
42"	FPC-64	FPL30xx	WG48-RD	2 Boxes	Bags 6	150	5
54"	FPC-76	FPL30xx	N/A	3 Boxes	Bags	250	8

SQUARE BOWL INSERTS (pg. 18)

18"	FPC-48SQ	FPL18xx	WG25-SQ	1 Box	2 Bags	40	1
24"	FPC-48SQ	FPL18xx	WG31-SQ	2 Boxes	2 Bags	70	2
30"	FPC-60SQ	FPL18xx	WG37-SQ	2 Boxes	2 Bags	110	3
36"	FPC-60SQ	FPL30xx	WG43-SQ	2 Boxes	6 Bags	150	4
42"	FPC-60SQ	FPL30xx	WG49-SQ	2 Boxes	6 Bags	190	4
42"	FPC-64	FPL30xx	WG48-RD	2 Boxes	4 Bags	150	5

SQUARE FLAT INSERTS (pg. 22)

18"	FPC-48SQ	FPL18xx	WG25-SQ	1 Box	2 Bags	40	1
24"	FPC-48SQ	FPL18xx	WG31-SQ	2 Boxes	2 Bags	70	2
30"	FPC-60SQ	FPL18xx	WG37-SQ	2 Boxes	2 Bags	100	3
36"	FPC-60SQ	FPL30xx	WG43-SQ	2 Boxes	6 Bags	140	4
42"	FPC-60SQ	FPL30xx	WG49-SQ	2 Boxes	6 Bags	190	4
43"	FPC-64	FPL30xx	WG48-RD	2 Boxes	4 Bags	160	5

RECTANGLE BOWL INSERTS (pg. 26)

24X12"	FPC-62X30	FPL18xx	WG31X19-RECT	1 Box	2 Bags	40	1
30X12"	FPC-62X30	FPL18xx	WG37X19-RECT	1 Box	2 Bags	40	2
36X14"	FPC-78X40	FPL30xx	WG43X21-RECT	2 Boxes	2 Bags	60	2
42X14"	FPC-78X40	FPL30xx	WG49X21-RECT	2 Boxes	2 Bags	70	3
54X16"	FPC-78X40	FPL30xx	WG61X23-RECT	2 Boxes	4 Bags	100	3
66X16"	FPC-90X40	FPL30xx	N/A	2 Boxes	6 Bags	120	4
78X16"	FPC-102X40	FPL30xx (2)	N/A	3 Boxes	6 Bags	140	4
90X16"	FPC-114X40	FPL30xx (2)	N/A	3 Boxes	8 Bags	160	5

Accessory Chart (continued)

	Vinyl Covers	Outdoor Logs	Wind Guards	Install Collars	Lava Rock / Stone	Glass	River Rock (boxes)
Size	pg. 62	pg. 60	pg. 64	pg. 67	pg. 60	pg. 60	pg. 60

LINEAR TROUGH INSERTS (pg. 30)

24"	FPC-44X30	FPL18xx	WG31X15-L	1 Box	1 Bag	20	1
36"	FPC-62X30	FPL18xx	WG43X15-L	2 Boxes	2 Bags	30	1
48"	FPC-62X30	FPL30xx	WG55X15-L	2 Boxes	2 Bags	40	1
60"	FPC-94X30	FPL30xx	WG67X15-L	2 Boxes	2 Bags	40	1
72"	FPC-94X30	FPL30xx (2)	N/A	2 Boxes	2 Bags	50	2
96"	FPC-	FPL30xx (3)	N/A	2 Boxes	2 Bags	60	2

LINEAR INTERLINK INSERTS (pg. 34)

25X8"	FPC-44X30	FPL18xx	WG31X15-L	1 Box	1 Bag	20	1
37X8"	FPC-62X30	FPL18xx	WG43X15-L	2 Boxes	2 Bags	30	1
49X8"	FPC-62X30	FPL30xx	WG55X15-L	2 Boxes	2 Bags	40	1
61X8"	FPC-94X30	FPL30xx	WG67X15-L	2 Boxes	2 Bags	40	2
73X8"	FPC-94X30	FPL30xx (2)	N/A	2 Boxes	4 Bags	50	2
97X8"	FPC-130X30	FPL30xx (3)	N/A	2 Boxes	4 Bags	60	2
121X8"	FPC-130X30	FPL30xx (3)	N/A	3 Boxes	6 Bags	80	3



Outdoor Fireplace Burner, Grate, and Log Kits

Log Style	Ignition	Push-Button	Size	Gas	Burner	Grate	Logs	Burner, Grate, and Log Kit	
Oak	Button	Push-Button	36"	NG	DBOF27PBFS-NG	SSFG/BPC22	FPL18/24AW09	DBOF27PBFS-NG-AW09	
Oak	Button		36"	LP	DBOF27PBFS-LP	SSFG/BPC22	FPL18/24AW09	DBOF27PBFS-LP-AW09	
Oak	Electronic		36"	NG	DBOF22EI-NG/120VAC	SSFG/BPC22	FPL18/24AW09	DBOF22EI-NG/120VAC-AW09	
Oak	Electronic		36"	LP	DBOF22EI-LP/120VAC	SSFG/BPC22	FPL18/24AW09	DBOF22EI-LP/120VAC-AW09	
Oak	Electronic-Hi/Lo		36"	NG	DBOF22EI-HI/LO-NG/120VAC	SSFG/BPC22	FPL18/24AW09	DBOF22EI-HI/LO-NG/120VAC-AW09	
Oak	Electronic-Hi/Lo		36"	LP	DBOF22EI-HI/LO-LP/120VAC	SSFG/BPC22	FPL18/24AW09	DBOF22EI-HI/LO-LP/120VAC-AW09	
Driftwood	Push-Button		36"	NG	DBOF27PBFS-NG	SSFG/BPC22	FPL18/24WD9	DBOF27PBFS-NG-WD9	
Driftwood	Push-Button		36"	LP	DBOF27PBFS-LP	SSFG/BPC22	FPL18/24WD9	DBOF27PBFS-LP-WD9	
Driftwood	Electronic		36"	NG	DBOF22EI-NG/120VAC	SSFG/BPC22	FPL18/24WD9	DBOF22EI-NG/120VAC-WD9	
Driftwood	Electronic		36"	LP	DBOF22EI-LP/120VAC	SSFG/BPC22	FPL18/24WD9	DBOF22EI-LP/120VAC-WD9	
Driftwood	Electronic-Hi/Lo		36"	NG	DBOF22EI-HI/LO-NG/120VAC	SSFG/BPC22	FPL18/24WD9	DBOF22EI-HI/LO-NG/120VAC-WD9	
Driftwood	Electronic-Hi/Lo		36"	LP	DBOF22EI-HI/LO-LP/120VAC	SSFG/BPC22	FPL18/24WD9	DBOF22EI-HI/LO-LP/120VAC-WD9	
Birch	Push-Button		36"	NG	DBOF27PBFS-NG	SSFG/BPC22	FPL18/24AB9	DBOF27PBFS-NG-AB9	
Birch	Push-Button		36"	LP	DBOF27PBFS-LP	SSFG/BPC22	FPL18/24AB9	DBOF27PBFS-LP-AB9	
Birch	Electronic		36"	NG	DBOF22EI-NG/120VAC	SSFG/BPC22	FPL18/24AB9	DBOF22EI-NG/120VAC-AB9	
Birch	Electronic		36"	LP	DBOF22EI-LP/120VAC	SSFG/BPC22	FPL18/24AB9	DBOF22EI-LP/120VAC-AB9	
Birch	Electronic-Hi/Lo		36"	NG	DBOF22EI-HI/LO-NG/120VAC	SSFG/BPC22	FPL18/24AB9	DBOF22EI-HI/LO-NG/120VAC-AB9	
Birch	Electronic-Hi/Lo		36"	LP	DBOF22EI-HI/LO-LP/120VAC	SSFG/BPC22	FPL18/24AB9	DBOF22EI-HI/LO-LP/120VAC-AB9	
Oak	Push-Button		42"	NG	DBOF33PBFS-NG	SSFG/BPC28	FPL30/36AW016	DBOF33PBFS-NG-AW016	
Oak	Push-Button		42"	LP	DBOF33PBFS-LP	SSFG/BPC28	FPL30/36AW016	DBOF33PBFS-LP-AW016	
Oak	Electronic		42"	NG	DBOF28EI-NG/120VAC	SSFG/BPC28	FPL30/36AW016	DBOF28EI-NG/120VAC-AW016	
Oak	Electronic		42"	LP	DBOF28EI-LP/120VAC	SSFG/BPC28	FPL30/36AW016	DBOF28EI-LP/120VAC-AW016	
Oak	Electronic-Hi/Lo		42"	NG	DBOF28EI-HI/LO-NG/120VAC	SSFG/BPC28	FPL30/36AW016	DBOF28EI-HI/LO-NG/120VAC-AW016	
Oak	Electronic-Hi/Lo		42"	LP	DBOF28EI-HI/LO-LP/120VAC	SSFG/BPC28	FPL30/36AW016	DBOF28EI-HI/LO-LP/120VAC-AW016	
Driftwood	Push-Button		42"	NG	DBOF33PBFS-NG	SSFG/BPC28	FPL30/36WD16	DBOF33PBFS-NG-WD16	
Driftwood	Push-Button		42"	LP	DBOF33PBFS-LP	SSFG/BPC28	FPL30/36WD16	DBOF33PBFS-LP-WD16	
Driftwood	Electronic		42"	NG	DBOF28EI-NG/120VAC	SSFG/BPC28	FPL30/36WD16	DBOF28EI-NG/120VAC-WD16	
Driftwood	Electronic		42"	LP	DBOF28EI-LP/120VAC	SSFG/BPC28	FPL30/36WD16	DBOF28EI-LP/120VAC-WD16	
Driftwood	Electronic-Hi/Lo		42"	NG	DBOF28EI-HI/LO-NG/120VAC	SSFG/BPC28	FPL30/36WD16	DBOF28EI-HI/LO-NG/120VAC-WD16	
Driftwood	Electronic-Hi/Lo		42"	LP	DBOF28EI-HI/LO-LP/120VAC	SSFG/BPC28	FPL30/36WD16	DBOF28EI-HI/LO-LP/120VAC-WD16	
Birch	PB		42"	NG	DBOF33PBFS-NG	SSFG/BPC28	FPL30/36AB16	DBOF33PBFS-NG-AB16	
Birch	PB		42"	LP	DBOF33PBFS-LP	SSFG/BPC28	FPL30/36AB16	DBOF33PBFS-LP-AB16	
Birch	Electronic		42"	NG	DBOF28EI-NG/120VAC	SSFG/BPC28	FPL30/36AB16	DBOF28EI-NG/120VAC-AB16	
Birch	Electronic		42"	LP	DBOF28EI-LP/120VAC	SSFG/BPC28	FPL30/36AB16	DBOF28EI-LP/120VAC-AB16	
Birch	Electronic-Hi/Lo		42"	NG	DBOF28EI-HI/LO-NG/120VAC	SSFG/BPC28	FPL30/36AB16	DBOF28EI-HI/LO-NG/120VAC-AB16	
Birch	Electronic-Hi/Lo		42"	LP	DBOF28EI-HI/LO-LP/120VAC	SSFG/BPC28	FPL30/36AB16	DBOF28EI-HI/LO-LP/120VAC-AB16	



KITCHEN ISLANDS

In 2023, HPC Fire Inspired purchased Galaxy Outdoor in Las Vegas, NV . Now, under the HPC mantle, we are excited to offer custom-made (and prefabricated) outdoor kitchen islands . From consultation to design, our experts will ensure your dream becomes a reality-- and we can ship that dream all over the United States .



BENEFITS

- Completely customizable outdoor kitchen islands
- Constructed of durable materials
- Provides space for entertaining as well as food preparation

FEATURES

- Appliances
- Storage
- Refrigeration and freezing
- Trash disposal
- Electrical outlets
- And more

SPECIFICATIONS

- Steel-reinforced backing boards
- Tiles, granite, stone, wood, and more are available!

STOCK ISLANDS

These prefabricated islands are plug and play. These are some of the most common and popular island designs and can be finished with any material and can accommodate a variety of appliance brands. They all offer some combination of grill, storage, and prep space.

Can't find what you're looking for? Check the next page for custom options.



The Defiant

A 6' straight island with a 5' raised bar on the right side.



The Atom

A 4' outdoor kitchen.



The Arc

A 6' by 5' outdoor kitchen.



The Satellite

A 5' outdoor kitchen.



The Ion

A 6' outdoor kitchen with more countertop space than the Atom or Satellite.





CUSTOM ISLANDS

Our kitchen islands are also available as custom designs. Our team can help you visualize and design the perfect complement to your outdoor living space. See our wide variety of custom island components and finishing materials to start planning your dream kitchen today! Note: our islands can be built to accommodate most appliances.

Custom Options



Straight Cabinet
(36" H x 33" D)



Straight Cabinet (Curved)
(36" H x 33" D)



Raised Bar
(42" H x 2-1/2" Wall x 12" Overhang)



Raised Bar (Curved)
(42" H x 2-1/2" Wall x 12" Overhang)



Backsplash Wall
(42" H x 2" Wall)




Backsplash Wall (Curved)
(42" H x 2" Wall)



Backsplash Add-on
(6" H x 2" Wall)



Counter Bar Ext.
(12" W x 3" H)



Counter Bar Tabs
(16" W x 10" L)



Foot Rest
(8" H x 8" D)



Corner Cabinet
(60" W x 60" D)



36" Height Table End (Counter-Height)
(42" W x 48" D x 36" H)



42" Height Table End (Bar-Height)
(42" W x 48" D x 42" H)



Bar/Table Connector
(14" L x 3" D)

*Pricing does NOT include sales tax, delivery & installation, or credit card fees. Subject to change without notice.




Grill or Sideburner cut-out



Door or Drawer cut-out



Refrigerator cut-out



Custom enclosed cut-out



Custom Column cut-out

Custom Finishes



Santa Cecilia



Ashen White



New Caledonia



Silicon Gold



Wood Grain Porcelain



Concrete Gray



Mannington Cambridge



Dark Mix Mosaic

Optional Edges:



Flat Edge



Beveled Edge



Half-Bull nose Edge



Chiseled edge

Optional Patterns:



Straight Stack



Subway



Herringbone



Mosaic



Calima Flats



Artic White



Gold Rush



Charcoal Rust



Classic (Reeded)



Classic (Smooth)



Epic (Reeded)



Epic (Smooth)



Manor White



Buckskin



Sandpebble



Honey Twist



FORNO DE PIZZA

HPC's handmade pizza oven, designed by Hugo Laranja . This glass mosaic-tiled refractory oven is beautiful, durable, and can efficiently cook, smoke, and bake.

Installation Considerations

- Determine application: for general use, use in an outdoor kitchen countertop, or as a freestanding, built-in structure
- Ensure access to natural gas line unless using liquid propane . If using LP, consider where you will place your tank



BENEFITS

- Beautiful, handcrafted oven made with glass mosaic tiles
- Great diversity of meals can be prepared, as with any oven
- Cart with wheels for easy transportation (on select models)

FEATURES

- Dual-fuel system allows for use of gas and wood simultaneously
- Many tile options, including custom colors
- Electronic ignition system

SPECIFICATIONS

- Oven made of refractory concrete, able to safely withstand 2400 degrees Fahrenheit
- 304 Stainless steel hearth
- Cart made with cedar wood

Forno Series - Forno de Pizza

Tile Color	SKU	MSRP
Ocean Blue	FDP-FORNO/OB-EI-NG	\$6499.0
Pool Blue	FDP-FORNO/PB-EI-NG	0
Simply Red	FDP-FORNO/SR-EI-NG	\$6499.0
Black Onyx	FDP-FORNO/BLX-EI-NG	0
Retro	FDP-FORNO/RETRO-EI-NG	\$6499.0
Copper	FDP-FORNO/COPPER-EI-NG	0
Custom Color	FDP-FORNO/CUSTOM-EI-NG	\$6499.0

AN OVEN FOR THE FOOD ENTHUSIAST

The Forno de Pizza hybrid oven was founded on the belief that some of our best experiences in life are spent with our friends and family. Cooking together with fire brings a powerful connection to the foods you're sharing. The Forno de Pizza honors timeless styling cues from ancient Greece while marrying it with modern conveniences. Designed to cook more than just pizza, the Forno is an oven for the food enthusiast.

The Forno Series is a portable, dual-fuel oven that can be easily transported thanks to its stainless steel cart. Its classic igloo design inspired the brand itself and makes for the most effective cooking possible. Operating on an electronic ignition system, this oven can efficiently burn natural gas, propane, or wood (and you can burn gas and wood at the same time for maximum heat). Six different glass colors are available to complement your outdoor living space.

BEHIND THE BRAND

The Forno design is not new-- in fact, it's ancient. The igloo-shaped oven has been used for thousands of years, embracing the three key methods of heating all in one place: conduction, convection, and radiant heat. The flame heats the hearth stone, the heat is circulated in its igloo shape, and the walls itself heat up to radiate even more cooking power onto the user's food.

NEED INSPIRATION?

Find recipes, guides, and more online at hpcfire.com/forno-videos prepared by the creator of the Forno de Pizza, Hugo Laranja.




Ocean Blue



Pool Blue



Simply Red



Black Onyx



Retro



Copper





Villa Series - Forno de Pizza

Tile Color	SKU	
Ocean Blue	FDP-VILLA/OB-EI-NG FDP-	
Pool Blue	VILLA/PB-EI-NG FDP-	
Simply Red	VILLA/SR-EI-NG FDP-	
Black Onyx	VILLA/BLX-EI-NG FDP-	
Retro	VILLA/RETRO-EI-NG FDP-	
Copper	VILLA/COPPER-EI-NG FDP-	
Custom Color	VILLA/CUSTOM-EI-NG	

A BUILT-IN OVEN

The Villa series (pictured on opposing page) Forno de Pizza is just a hearth and an oven (no cart, unlike the Forno series), designed to sit in your outdoor kitchen countertop. This choice gives you the freedom to create your space the way you want. Pair the Villa with wood storage, a fridge for ingredients, and a countertop food prep space and your outdoor kitchen will be the talk of the neighborhood.




Ocean Blue



Pool Blue



Simply Red



Black Onyx



Retro



Copper

NEED INSPIRATION?

Find recipes, guides, and more online at hpcfire.com/forno-videos prepared by the creator of the Forno de Pizza, Hugo Laranja.



DiNapoli Series - Forno de Pizza

Tile Color	SKU	
Ready-To-Finish	FDP-DINAPOLI/RTF-EI-NG	

DIY OVEN ENCLOSURE

The DiNapoli series oven is for anyone who wants a more classic pizza oven experience. This model is just the oven with a chimney, designed to be built into a brick or stone stack. It makes a great DIY project for anyone who wants to get their hands dirty and offers consumers the ability

to more carefully curate their aesthetic.






Oven Accessories - Forno de Pizza

Accessory	SKU	
Infrared Thermometer	FDP-INFRA-RED GUN	
Door w/ Internal Thermometer	FDP-DOOR	
Grill Rack	FDP-GRILL RACK	
Utensil Holder	FDP-HOLDER	
Brush	FDP-BRUSH	
Pan Peel	FDP-ALUM PEEL	
Wooden Paddle	FDP-WOODEN PADDLE	
Pizza Plate	FDP-PANS	
Dough Sheets	FDP-DOUGH ROLLING SHEETS	
Accessory Kit	FDP-ACCESSORY KIT	

ACCESSORY KIT

Includes utensil holder, brush, woodenpaddle,aluminum pans (2), aluminum peel, and dough rolling sheets (2).



INFRARED THERMOMETER



DOOR WITH THERMOMETER



GRILL RACK



UTENSIL HOLDER



BRUSH



PAN PEEL



WOODEN PADDLES



PIZZA PLATES



DOUGH SHEETS

Vinyl Covers - Forno de Pizza

Oven Type	SKU	
Forno	FDP-COVER-FORNO	
Villa	FDP-COVER-VILLA	

COVERS THAT LAST

The perfect tool for keeping your Forno de Pizza protected from the elements, these vinyl covers are designed to be weather and UV resistant . It resembles those that are commonly used on grills .



FORNO COVER



VILLA COVER

DRUM SMOKER

HPC's brand new stainless steel drum smoker . Utilizing patented Vortex technology, the drum smoker is designed to produce optimal cooking conditions while accommodating large quantities of food .



BENEFITS

- Powerful smoking technology allows for great meals every time
- Wheels for convenient transportation, plus wheel lock

FEATURES

- Dualvane intake system
- Patented Vortex technology for optimal air flow
- Two rack structure for cooking more food

SPECIFICATIONS

- Composed of 304 stainless steel



Stainless Steel Drum Smoker

SKU	
DS-SST	

ONE OF A KIND TECHNOLOGY

The HPC FireInspiredStainless Steel Drum Smoker utilizes patented vortex technology to evenly smoke and cook food to perfection . Its unique design also maintains temperature better and burns wood more efficiently than competing smokers, allowing for up to an 18 hour cook time on one bag of lump charcoal . Furthermore, its tall, cylindrical design allows its user to smoke multiple food items, employing a two-rack internal structure .

Vortex technology is characterized by a dual intake vane system . The side intake tubes bring air in, the interior vanes distribute the air, and it exits through the exhaust on top, allowing for a delicious, evenly cooked meal every time .



Looking for our indoor fireplace component catalog?

It's online! Scan the QR code here to see it .



FIRE INSPIRED™

Install Confidence™